

Report ID: 359567  
Date of sample receipt: 07/11/23  
Date of issue: 04/12/23  
  
Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

## SAMPLE N° 359567

Overall dimensions: 600 x 520 x 770 (h) mm

### List of test reports:

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test and seat front edge static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Arm sideways static load test EN 1728:2012+AC:2013
6. Arm downwards static load test EN1728:2012+AC:2013
7. Seat and back fatigue test EN 1728:2012+AC:2013
8. Seat front edge durability test EN 1728:2012+AC:2013
9. Arm fatigue test EN 1728:2012+AC:2013
10. Leg forward static load test EN 1728:2012+AC:2013
11. Leg sideways static load test EN 1728:2012+AC:2013
12. Seat impact test EN 1728:2012+AC:2013
13. Back impact test EN 1728:2012+AC:2013
14. Arm rest impact test EN 1728:2012+AC:2013
15. Stability - EN 1022:2005
16. Stability EN 1022:2018, clause 7.3



*This document is part of a PDF file digitally signed by Franco Bulian.*

*The managing director  
Dr. Franco Bulian*  
*luc u e*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## SAMPLE N° 359567

Date of issue: 04/12/23  
Sample weight: Not determined  
Sample name: NOLITA 3655



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 1**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Safety requirements EN 16139:2013+AC:2013**

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	Yes
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$ : • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present  No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013:	<b>YES</b>

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director  
Dr. Franco Bulian  
*(Handwritten signature)*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 2**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Information for use EN 16139:2013+AC:2013**

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user (Valuated only English and Italian languages)	Present
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013+AC:2013:	<b>YES</b>
---	------------

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director  
Dr. Franco Bulian  
*(Handwritten signature)*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 3**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Seat and back static load test and seat front edge static load test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.4 and 6.5 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	700	10	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.600	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director  
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 4**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Vertical load on back rest EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clause 6.6 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.800	900	10	No defects

The test results comply with the requirements of clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director  
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 5**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Arm sideways static load test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.10 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Horizontal force N	Number of applications	Remarks
900	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director  
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

359567 / 6

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 08/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Arm downwards static load test EN1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.11 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Vertical force N	Number of applications	Remarks
900	5	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 7**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 10/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Seat and back fatigue test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.17 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.000	300	200.000	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 8**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 23/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Seat front edge durability test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.18 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	100.000	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 9**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 30/11/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Arm fatigue test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.20 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Force on arm rest N	Number of cycles	Remarks
400	60.000	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director*  
*Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**359567 / 10**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Leg forward static load test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.15 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
620	1.800	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director*  
*Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

359567 / 11

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Leg sideways static load test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.16 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
740	1.800	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*Note: According to EN 1728:2012+AC:2013, horizontal force has been reduced from 760 N to 740 N, to avoid tipping.*

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**359567 / 12**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Seat impact test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.24 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	300	seat loading point (A)	10	No defects
25	300	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**359567 / 13**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Back impact test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.25 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
48	6,5	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**359567 / 14**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Arm rest impact test EN 1728:2012+AC:2013**

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.25 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
48	6,5	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 2

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 15**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Stability - EN 1022:2005**

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 160 N

**Forwards overturning**

Horizontal force : 20 N does not overturn

**Rearwards overturning**

Fixed back chair

Horizontal force : 160 N does not overturn

**Tilting chair in the rearmost position**

Loading discs on the seat : /

**Sideways overturning for chairs with arms**

Horizontal force : 20 N does not overturn

**Sideways overturning for chairs without arms**

Horizontal force : /

**Forwards overturning for chairs with footrest**

Horizontal force : /

The test result complies with the requirements of EN 1022:2005

*This test report is part of a PDF file digitally signed by Franco Bulian.*

*The managing director  
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**359567 / 16**

Revision: 0  
Date of sample receipt: 07/11/23  
Date of test: 04/12/23  
Date of issue: 04/12/23



Sample name: NOLITA 3655

PEDRALI S.P.A.  
STRADA PROVINCIALE 122  
24050 MORNICO AL SERIO (BG)  
ITALIA

**Stability EN 1022:2018, clause 7.3**

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

**Forwards overturning**

Forwards overturning, clause 7.3.1 : does not overturn  
Forwards overturning for seating with foot rest, clause 7.3.2 : /  
Corner stability, clause 7.3.3 : /

**Sideways overturning**

Sideways overturning, all seating without arm rests, clause 7.3.4 : /  
Seating with arm rests, clause 7.3.5.2 : does not overturn  
Seating with raised side edges, clause 7.3.5.3 : /

**Rearwards overturning**

Rearwards overturning all seating with back rests, clause 7.3.6  
Minimum force required: 160 N : does not overturn  
Tilting seating, clause 7.4.2 : /  
Reclining seating with leg rest, clause 7.4.3 : /  
Reclining seating without leg rest, clause 7.4.4 : /  
Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 7.2 of standard EN 1022:2018

*This test report is part of a PDF file digitally signed by Franco Bulian.*

The managing director  
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.