
# Technical specification

Backrest - moulded foam, flame retardant, density of 75 kg/m3, upholstered
Seat - moulded foam, flame retardant, density of 98 kg/m3, upholstered OPTION WITH EXTRA CHARGE:

3 Armrests - wood - beech natural, colour: black



- max. load 120 kg

### **Bases**

### Base PR1P19, PR2P19:

- •4 star, aluminum, powder coated
- •swivel seat 360°
- aluminium cast
- •legs finished with polypropylene feet

#### Base PR1P19K, PR2P19K:

- •4 star, aluminum, powder coated
- •swivel seat 360°
- aluminium cast
- castors for soft floors
- OPTION WITH EXTRA CHARGE castors for hard floors

#### Base PR1P20, PR2P20:

- •4 legged metal frame
- •frame made of tube Ø22 mm, powder coated

#### Base PR1P21, PR2P21:

- •4 star, aluminum, Ø=730 mm, h=360 mm, powder coated
- •swivel seat 360°
- OPTION WITH EXTRA CHARGE tilt mechanism

#### Base PR2P22:

- •5 star, aluminum, Ø=630 mm, h=360 mm, powder coated
- •swivel seat 360°
- •tilt mechanism with a lock
- gas spring, steel, colour: black, adjustment range 120 mm (450 - 570 mm)
- castors for soft floors
- OPTION WITH EXTRA CHARGE castors for hard floors











## Base PR1PP19, PR2PP19:

- •4 star, polished aluminium, aluminium cast
- \*swivel seat 360°
- •legs finished with polypropylene feet

### Base PR1PP19K, PR2PP19K:


- •4 star, polished aluminium, aluminium cast
- \*swivel seat 360°
- castors for soft floors
- OPTION WITH EXTRA CHARGE castors for hard floors







mdd.eu


# Dimensions (mm)








PR1P21




PR1P19 PR1PP19





PR1P20







# Dimensions (mm)

PR2P19K PR2PP19K

PR2P19 PR2PP19

PR2P20







PR2P22

