



CERTIFICATE

No. FUR BSC 23-26

2 June 2023

Vilnius

Issued to **UAB NARBUTAS INTERNATIONAL**

Address **Ukmergės g. 308, LT-12110 Vilnius, Lithuania**

Product name **Office furniture. Screens EASY, OPTIMA, NOVA (SLIDE, FABRIC, FABRIC WITH METAL), DESK 760, TOP 530, MODUS, ROUND PET, FREE STANDING**

Manufacturer (name) **UAB NARBUTAS INTERNATIONAL**

Manufacturer address **Ukmergės g. 308, LT-12110 Vilnius, Lithuania**

Performance **LST EN 1023-1:1998, LST EN 1023-2:2000
LST EN 1023-3:2000, LST EN 14073-2:2004,
LST EN 14073-3:2004, LST EN 14074:2004**

Certification has been made according to the certification scheme 1b

Certificate has been issued according to the VSI FURNITEST Furniture testing centre testing reports No. BBC 23-208 dated May 30, 2023, No. BBC 21-082, No. BBC 21-083, No. BBC 21-084, No. BBC 21-085, No. BBC 21-086, No. BBC 21-087, No. BBC 21-088, No. BBC 21-089, No. BBC 21-090, No. BBC 21-091, dated April 9, 2021

The certificate is valid till 2 June 2025

First certificate issued in May 2021

Director



Jadvyga Mickienė

ANNEX A

Table 1. List of Office furniture. Screens EASY, OPTIMA, NOVA (SLIDE, FABRIC, FABRIC WITH METAL), DESK 760, TOP 530, MODUS, ROUND PET, FREE STANDING to the Certificate FUR BSC 23-26





Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop), mm	Product code	Type
EASY								
	Screen for single desks. Screen is made of 16 mm MFC (melamine faced chipboard), coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from 20x20 mm metal tube. Fastened with screws and wood screws.	1200	22	750	360	DZK123	1
			1400	22	750	360	DZK142	1
			1600	22	750	360	DZK162	1
			1800	22	750	360	DZK182	1
OPTIMA								
	Side screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Tightenable metal brackets (2 pcs.), fastened with screws.	800	22	415	375	DTK080	3
			800	22	515	475	DTK081	3
	Screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.		1200	22	415	375	DTK120	3
			1400	22	415	375	DTK140	3
			1600	22	415	375	DTK160	3
			1800	22	415	375	DTK180	3
			1200	22	515	475	DTK122	3
			1400	22	515	475	DTK143	3
			1600	22	515	475	DTK163	3
			1800	22	515	475	DTK181	3
	Screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Vertical metal holders, tightenable to the desktop.	623	18	470	470	DZK071	3
			723	18	470	470	DZK081	3
			923	18	470	470	DZK101	3
			1123	18	470	470	DZK121	3
			1323	18	470	470	DZK141	3
			1523	18	470	470	DZK161	3
			1723	18	470	470	DZK181	3
			1923	18	470	470	DZK192	3







Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
Additional parts (required with DZK071, DZK081, DZA101, DZK121, DZK141, DZK161, DZK181, DZK122):								
	Vertical screen holder, metal (2 pcs.). Front.		-	-	-	-	DZK001	-
	Vertical screen holder, metal (2 pcs.). Side.		-	-	-	-	DZK002	-
	Vertical screen holder, metal (3 pcs.). Front. and left side.		-	-	-	-	DZK003	-
	Vertical screen holder, metal (3 pcs.). Front. and right side.		-	-	-	-	DZK004	-
NOVA SLIDE								
	Front screen for single desks. Frame of the screen is made of metal tube (20x20x1,5 mm). Core is made from 12 mm chipboard, covered with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from rectangular tube (20x50x1,5 mm). Mountable on the desk frame, tightenable with screws.	1400	20	350	350	DNK14C	1
			1600	20	350	350	DNK16C	1
	Front screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from rectangular tube (20x50x1,5 mm). Mountable on the desk frame, tightenable with screws.	1400	22	415	300	DNK14E	1
			1600	22	425	300	DNK16E	1
	Center screen for bench type desks. Frame of the screen is made of metal tube (20x20x1,5 mm). Core is made from 12 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from rectangular tube (20x50x1,5 mm). Mountable on the desk frame, tightenable with screws.	1400	20	350	350	DNK14D	1
			1600	20	350	350	DNK16D	1








Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type	
	Center screen for bench type desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from rectangular tube (20x50x1,5 mm). Mountable on the desk frame, tightenable with screws.	1400	22	375	350	DNK14F	1	
			1600	22	375	350	DNK16F	1	
			1400	22	475	450	DNK14G	3	
			1600	22	475	450	DNK16G	3	
NOVA FABRIC									
	Front screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	1400	22	415	350	DNK140	1	
			1600	22	415	350	DNK160	1	
			1800	22	415	350	DNK180	1	
			1200	22	515	450	DNK121	3	
			1400	22	515	450	DNK141	3	
			1600	22	515	450	DNK161	3	
	Side screen for single desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (3 pcs.), made from sheet metal (84x114x34x2 mm).	1800	22	515	450	DNK181	3	
			Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	700	22	415	350	DNK070	1
				800	22	415	350	DNK080	1
				700	22	515	450	DNK071	3
	Dividing screen for bench type desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal plate and guide pin.	800	22	515	450	DNK081	3	
			710	22	347	350	DNK077	1	
			710	22	447	450	DNK078	3	
			810	22	347	350	DNK087	1	
	Dividing screen for line bench type desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Sheet metal mounting brackets (double sided, 2 pcs).	810	22	447	450	DNK088	3	
			800	22	347	350	DNK08A	1	
			800	22	447	450	DNK08B	3	





Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type		
	Center screen for bench type desks. Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs), made from metal plate (140x50x4 mm) and guide pin.	1200	22	375	350	DNK122	1		
		Metal brackets (3 pcs), made from metal plate (140x50x4 mm) and guide pin.	1400	22	375	350	DNK142	1		
			1600	22	375	350	DNK162	1		
		Metal brackets (2 pcs), made from metal plate (140x50x4 mm) and guide pin.	1800	22	375	350	DNK182	1		
		Metal brackets (2 pcs), made from metal plate (140x50x4 mm) and guide pin.	1200	22	475	450	DNK123	3		
			Metal brackets (3 pcs), made from metal plate (140x50x4 mm) and guide pin.	1400	22	475	450	DNK143	3	
				1600	22	475	450	DNK163	3	
			Metal brackets (3 pcs), made from metal plate (140x50x4 mm) and guide pin.	1800	22	475	450	DNK183	3	
			Side screen for bench type desks (extended). Screen is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (4 pcs.), made from sheet metal (84x114x34x2 mm). Screen is supported to the ground by adjustable metal legs.	1640	22	1090	350	DNK175	1
					1640	22	1190	450	DNK176	3








Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
	Pre-set of screens for 4 desks. Screens are made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Sheet metal mounting brackets (double sided, 8-10 pcs).	2x1200/ 1400/ 1600/ 1800; 2x710/ 810	22	2x375 2x347	350	DNK12A, DNK14A, DNK16A, DNK18A, DNK130, DNK152, DNK177, DNK190	1
			2x1200/ 1400/ 1600/ 1800; 2x710/ 810	22	2x475; 2x447	450	DNK12B, DNK14B, DNK16B, DNK18B, DNK131, DNK153, DNK178, DNK191	3
NOVA FABRIC WITH METAL								
	Side screen for single desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from metal plate (118x50x5 mm), tube section support (50x20x1,5 mm) and guide pin.	700	20	350	350	DNK075	1
			800	20	350	350	DNK085	1
	Front screen for single desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), welded to the frame of the screen.	1200	20	350	350	DNK125	1
			1400	20	350	350	DNK145	1
			1600	20	350	350	DNK165	1
			1800	20	350	350	DNK185	1
	Dividing screen for bench type desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), welded to the frame of the screen.	700	20	350	350	DNK076	1
			800	20	350	350	DNK086	1
			800	20	350	350	DNK08C	1
	Center screen for bench type desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from metal plate (140x50x4 mm), tube section support (50x20x1,5 mm) and guide pin.	1200	20	350	350	DNK126	1
			1400	20	350	350	DNK146	1
			1600	20	350	350	DNK166	1
			1800	20	350	350	DNK186	1







Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
	Side screen for bench type desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from metal plate (118x50x5 mm), tube section support (50x20x1,5 mm) and guide pin.	1440	20	350	350	DNK149	1
			1640	20	350	350	DNK169	1
	Pre-set of screens for 4 desks. Screen frame is made from rectangular tube (20x20x1,5 mm). Core is made of 16 mm chipboard, coated with 3 mm foam. Upholstered with fabric.	1) Metal brackets, welded to the frame of the screen (2 pcs.). 2) Metal brackets (2 pcs.), made from metal plate (140x50x4 mm), tube section support (50x20x1,5 mm) and guide pin.	2x1200/ 1400/ 1600/ 1800; 2x700/800	20	350	350	DNK128, DNK148, DNK168, DNK188, DNK127, DNK147, DNK167, DNK187	1
TOP530								
	Side screen for single desks. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	700	36	595	530	ATK070	3
			800	36	595	530	ATK080	3
	Screen for single desks. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	1200	36	595	530	ATP120	3
			1400	36	595	530	ATP140	3
		Metal brackets (3 pcs.), made from sheet metal (84x114x34x2 mm).	1600	36	595	530	ATP160	3
			1800	36	595	530	ATP180	3








Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
	Center screen for bench type desks. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets, made from metal plate (140x50x4 mm) and guide pin.	1200	36	555	530	ATV120	3
			1400	36	555	530	ATV140	3
			1600	36	555	530	ATV160	3
			1800	36	555	530	ATV180	3
	Pre-set of 2 dividing screens. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets, made from sheet metal plate and guide pin.	710	36	530	530	ATS070	3
			810	36	530	530	ATS080	3
	Side screen, extended (Left or Right side). Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm). Screen is supported to the ground by adjustable metal legs.	1000	36	1270	530	ATL100	3
			1000	36	1270	530	ATR100	3
	Adjustable screen for single desks. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Screen is mounted with tightenable metal holders. Height of the screen is adjusted by relieasing the knob.	1200	36	595	65-530	ATP122	3
			1400	36	595	65-530	ATP142	3
			1600	36	595	65-530	ATP162	3
			1800	36	595	65-530	ATP182	3
DESK 760								
	Side screen for single desks (Left or Right). Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	1000	36	760	530	ADK100	3
			1000	36	760	530	ADK101	3












Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
	Screen for single desks. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal brackets (2 pcs.), made from sheet metal (84x114x34x2 mm).	1200	36	760	530	ADP120	3
			1400	36	760	530	ADP140	3
		Metal brackets (3 pcs.), made from sheet metal (84x114x34x2 mm).	1600	36	760	530	ADP160	3
			1800	36	760	530	ADP180	3
MODUS								
	Adjustable acoustic screen for single desks, acoustic class D. Screen is made of 15x40 mm plywood frame. Screen core made of separate layers of foam. Upholstered with fabric.	Screen is mounted with tightenable metal holders. Height of the screen is adjusted by relieasing the knob.	1200	42	740	210 - 530	APK120	3
			1400	42	740	210 - 530	APK140	3
			1600	42	740	210 - 530	APK160	3
			1800	42	740	210 - 530	APK180	3
	Acoustic screen for bench type desks, acoustic class D. Screen is made of 15x40 mm plywood frame, core made of separate layers of foam. Upholstered with fabric.	"U" and "C" shape holder combination (2 pcs.), fastened to the side bar of the desk.	1400	42	600	515	APK141	3
			1600	42	600	515	APK161	3
			1800	42	600	515	APK181	3
			1400	42	740	660	APK142	2
			1600	42	740	660	APK162	2
			1800	42	740	660	APK182	2
	Acoustic screen for bench type desks, acoustic class C. Screen is made of 18x80 mm MDF. Coated with three layers of foam. Upholstered with fabric.	Screen fastened to the "C" shape metal holder with screws. Holder fastened to the side bar of the desk.	1400	42	600	515	APK143	3
			1600	42	600	515	APK163	3
			1800	42	600	515	APK183	3
			1400	42	740	660	APK144	2
			1600	42	740	660	APK164	2
			1800	42	740	660	APK184	2



Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
ROUND								
	Screen for single desks. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, tightenable to the desktop.	680	18	365	330	DPA07A	1
			780	18	365	330	DPA08A	1
			1180	18	365	330	DPA12A	1
			1380	18	365	330	DPA14A	1
			1580	18	365	330	DPA16A	1
			1780	18	365	330	DPA18A	1
			680	18	565	530	DPA07B	3
			780	18	565	530	DPA08B	3
			1180	18	565	530	DPA12B	3
			1380	18	565	530	DPA14B	3
			1580	18	565	530	DPA16B	3
			1780	18	565	530	DPA18B	3
	Freestanding mobile screen. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, freestanding.	680	18	330	330	DPA07C	1
			780	18	330	330	DPA08C	1
			1420	18	330	330	DPA14C	1
			1620	18	330	330	DPA16C	1
			680	18	530	530	DPA07D	3
			780	18	530	530	DPA08D	3
			1420	18	530	530	DPA14D	3
			1620	18	530	530	DPA16D	3
	Side screen for bench type desks. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, tightenable to the desktop.	1420	18	365	330	DPA14E	1
			1620	18	365	330	DPA16E	1
			1420	18	565	530	DPA14G	3
			1620	18	565	530	DPA16G	3
	Center screen for bench type desks. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, tightenable to the desktop.	1180	18	365	330	DPA12F	1
			1380	18	365	330	DPA14F	1
			1580	18	365	330	DPA16F	1
			1780	18	365	330	DPA18F	1
			1180	18	565	530	DPA12H	3
			1380	18	565	530	DPA14H	3
			1580	18	565	530	DPA16H	3
			1780	18	565	530	DPA18H	3
	Front screen for desks with sliding desktop. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, screwable to the desk frame.	1180	18	400	330	DPA12J	1
			1380	18	400	330	DPA14J	1
			1580	18	400	330	DPA16J	1
			1180	18	600	530	DPA12M	3
			1380	18	600	530	DPA14M	3
			1580	18	600	530	DPA16M	3









Photo	Description	Fastening	Width, mm	Thickness, mm	Height (Total), mm	Height (above the desktop),	Product code	Type
	Center screen for bench type desks with slidnig desktops. Screen is made from two solid PET (polyethylene terephthalate, polyester) fiber boards, glued together. Possible surface treatment with or without cutt-out texture.	"U" shape metal holder, screwable to the desk frame.	1180	18	400	330	DPA12L	1
			1380	18	400	330	DPA14L	1
			1580	18	400	330	DPA16L	1
			1180	18	600	530	DPA12P	3
			1380	18	600	530	DPA14P	3
			1580	18	600	530	DPA16P	3
FREE STANDING								
	Free standing screen. Screen is made of 16 mm chipboard, coated with 10 mm foam. Upholstered with fabric.	Metal legs with or without castors. Screens could be connected in between with additional connections.	800	36	1400		AFU080	2
			800	36	1600		AFU081	2
			800	36	1800		AFU082	4
			800	36	1200		AFU083	3
			1000	36	1200		AFU100	3
			1000	36	1400		AFU101	2
			1000	36	1600		AFU102	2
			1000	36	1800		AFU103	4
			1200	36	1200		AFU120	3
			1200	36	1400		AFU121	2
			1200	36	1600		AFU122	2
			1200	36	1800		AFU123	4
			1400	36	1200		AFU140	3
			1400	36	1400		AFU141	2
			1400	36	1600		AFU142	2
			1400	36	1800		AFU143	4
1600	36	1200		AFU160	3			
1600	36	1400		AFU161	2			
1600	36	1600		AFU162	2			
1600	36	1800		AFU163	4			
Additional parts:								
	Metal connection (for line, perpendicular or "T" form exposition)	Friction					AFZ001, AFZ002, AFZ003	-
	Set of metal legs	Legs are fixed with screws					AFZ040	-
	Set of metal legs with castors						AFZ041	-

