

Date received: 28-04-11

Date of issue: 31-05-11

Report consists of 2 test reports.

Defects before testing: None

Sample name: SERIF


PEDRALI S.P.A.
STRADA PROVINCIALE 122
24050 MORNICO AL SERIO (BG)
ITALIA**TEST REPORT N° 128178**

List performed tests

1. Seat and back static load test EN 1728:2000
2. Seat and back fatigue test EN 1728:2000



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo
laboratorio prove settore legno-arredo

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT N° 128178

Date of issue: 31-05-11
Sample weight: Not determined
Sample name: SERIF



The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

128178 / 1

Date received: 28-04-11
Date of test: 05-05-11
Date of issue: 31-05-11
Sample name: SERIF



PEDRALI S.P.A.
STRADA PROVINCIALE 122
24050 MORNICO AL SERIO (BG)
ITALIA

Seat and back static load test EN 1728:2000

Seat and back static load test, clause 6.2.1

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.700	410	10	No defects

Note:

According to EN 1728:2000, horizontal force has been reduced from 700 N to 410 N and seat force has been increased from 2000 N to 2700 N, to avoid tipping. The minimum horizontal force required is 410 N.

Seat front edge static load, clause 6.2.2

Seat load N	Number of cycles	Remarks
2.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giavon*

TEST REPORT

128178 / 2

Date received: 28-04-11
Date of test: 16-05-11
Date of issue: 31-05-11
Sample name: SERIF



PEDRALI S.P.A.
STRADA PROVINCIALE 122
24050 MORNICO AL SERIO (BG)
ITALIA

Seat and back fatigue test EN 1728:2000

Seat and back fatigue test, clause 6.7

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	200.000	No defects

Note:

According to EN 1728:2000, back force has been reduced from 300 N to 100 N to avoid tipping.

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.