

Report ID:	345854
Date of sample receipt:	21/03/23
Date of issue:	19/04/23

PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

**SAMPLE N° 345854** 

Overall dimensions: 520 x 550 x 800 (h) mm

#### List of test reports:

Sample name:

- 1. Safety requirements EN 16139:2013+AC:2013
- 2. Information for use EN 16139:2013+AC:2013
- 3. Seat and back static load test EN 1728:2012+AC:2013

**BABILA 2710** 

- 4. Vertical load on back rest EN 1728:2012+AC:2013
- 5. Seat and back fatigue test EN 1728:2012+AC:2013
- 6. Seat front edge durability test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- 8. Leg sideways static load test EN 1728:2012+AC:2013
- 9. Seat impact test EN 1728:2012+AC:2013
- 10. Back impact test EN 1728:2012+AC:2013
- 11. Stability EN 1022:2005
- 12. Stability EN 1022:2018, clause 7.3



This document is part of a PDF file digitally signed by Franco Bulian.

The manading director Dr. Franco Bulian ی رہ e ú



# **SAMPLE N° 345854**

Date of issue:
Sample weight:
Sample name:

19/04/23 Not determined BABILA 2710



Side view



Rear view





Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT 345854 / 1

Revision:	0	1
Date of sample receipt:	21/03/23	
Date of test:	27/03/23	
Date of issue:	19/04/23	
Sample name:	BABILA 271	0



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

## Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4	
Statement checked	Remarks
Corner and edges in contact with the users:	
Absence of sharp edges and corners	Yes
Edges on the handles:	
• Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges:	
Absence of sharp edges and corners	Yes
Accessible hollow components:	
<ul> <li>The ends of hollow components are closed or capped</li> </ul>	Yes
Movable and adjustable parts:	
<ul> <li>It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.</li> </ul>	Movable and adjustable parts not present
Connections between parts of the structure:	
<ul> <li>It shall not be possible for any load bearing part of the seating to come loose unintentionally</li> </ul>	Yes
Parts which are lubricated:	
• All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq$ 8 mm $\leq$ 25 mm:	
Shear and squeeze points under influence of powered mechanism	Mechanism not present
<ul> <li>Shear and squeeze points during normal use and during normal movements and actions</li> </ul>	No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013:	YES

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian n ei 0 SUC



Revision:

Date of test:

Date of issue:

Sample name:

**TEST REPORT** 

345854 / 2

Date of sample receipt: 21/03/23

0

27/03/23

19/04/23

BABILA 2710

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Nat. (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

#### Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian and English languages
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface f the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat neight adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present
Conformity to clause 7 of standard EN 16139:2013+AC:2013:	YES

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian nei 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT345854 / 3Revision:0Date of sample receipt:21/03/23Date of test:27/03/23Date of issue:19/04/23Sample name:BABILA 2710



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

#### Seat and back static load test EN 1728:2012+AC:2013

#### Test performed according to EN 16139:2013+AC:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013 Test results:

Seat load	Back force	Number	Remarks
N	N	of cycles	
2.000	600	10	No defects

Note:

According to EN 1728:2012+AC:2013, back force has been reduced from 700 N to 6000 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.600	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian 0-0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



 TEST REPORT

 345854 / 4

 sion:
 0

 of sample receipt:
 21/03.

Revision:	0	-
Date of sample receipt:	21/03/23	
Date of test:	27/03/23	
Date of issue:	19/04/23	
Sample name:	BABILA 271	0



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.800	900	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



 TEST REPORT

 345854 / 5

 Revision:
 0

 Date of sample receipt:
 21/03/23

 Date of test:
 27/03/23

 Date of issue:
 19/04/23

Sample name: B



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

## Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force	Back force	Number	Remarks
N	N	of cycles	
1.000	300	200.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



 TEST REPORT

 345854 / 6

 Revision:
 0

 Date of sample receipt:
 21/03/23

 Date of test:
 11/04/23

 Date of issue:
 19/04/23

Sample name:



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	100.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



 TEST REPORT

 345854 / 7

 Revision:
 0

 Date of sample receipt:
 21/03/23

 Date of test:
 18/04/23

 Date of issue:
 19/04/23

Sample name:



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
620	1.800	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Date of issue:

Sample name:

CATAS S.p.A via Antica, 24/3 33048 San Giovanni al Nat. (UD) +39 0432 747211 - lab@catas.com www.catas.com

Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT 345854 / 8 Revision: 0 Date of sample receipt: 21/03/23 Date of test: 18/04/23



PEDRALI S.P.A. **STRADA PROVINCIALE 122** 24050 MORNICO AL SERIO (BG) ITALIA

## Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

19/04/23

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
520	1.800	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

According to EN 1728:2012+AC:2013, horizontal force has been reduced from 760 N to 520 N, to avoid tipping.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT345854 / 9Revision:0Date of sample receipt:21/03/23Date of test:18/04/23Date of issue:19/04/23Sample name:BABILA 3



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	300	seat loading point (A)	10	No defects
25	300	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



# TEST REPORT 345854 / 10 Revision: 0

Date of sample receipt:	21/03/23	
Date of test:	18/04/23	
Date of issue:	19/04/23	
Sample name:	BABILA 271	0



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

# Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
48	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian e 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



 TEST REPORT

 345854 / 11

 n:
 0

Revision:	0	
Date of sample receipt:	21/03/23	
Date of test:	18/04/23	
Date of issue:	19/04/23	
Sample name:	BABILA 271	0



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

#### Stability - EN 1022:2005

Type of chair: fixed geometry Minimum horizontal force for rearwards overturning of fixed back chair: 159 N

Forwards overturning Horizontal force	:	20 N	does not overturn
Rearwards overturning			
Fixed back chair			
Horizontal force	:	159 N	does not overturn
Tilting chair in the rearmost position			
Loading discs on the seat	:	//	
Sideways overturning for chairs with arms			
Horizontal force	:	11	
Sideways overturning for chairs without arms			
Horizontal force	:	20 N	does not overturn
Forwards overturning for chairs with footrest			
Horizontal force	:	//	

The test results comply with the requirements of EN 1022:2005.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian n ei 0



Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT 345854 / 12

Revision:	0	
Date of sample receipt:	21/03/23	
Date of test:	18/04/23	
Date of issue:	19/04/23	
Sample name:	BABILA 271	0



PEDRALI S.P.A. STRADA PROVINCIALE 122 24050 MORNICO AL SERIO (BG) ITALIA

## Stability EN 1022:2018, clause 7.3

Positioning of chair components: as specified in Table 1 of EN 102		
Loads and masses according to table B1 of EN 1022:2018, annex	СВ	
Forwards overturning		
Forwards overturning, clause 7.3.1	:	does not overturn
Forwards overturning for seating with foot rest, clause 7.3.2	:	//
Corner stability, clause 7.3.3	:	does not overturn
Sideways overturning		
Sideways overturning, all seating without arm rests, clause 7.3.4	:	does not overturn
Seating with arm rests, clause 7.3.5.2	:	//
Seating with raised side edges, clause 7.3.5.3	:	//
Rearwards overturning		
Rearwards overturning all seating with back rests, clause 7.3.6		
Minimum force required: 159 N	:	does not overturn
Tilting seating, clause 7.4.2	:	//
Reclining seating with leg rest, clause 7.4.3	:	//
Reclining seating without leg rest, clause 7.4.4	:	//
Rearwards stability test for rocking chairs, clause 7.4.5	:	//

The test results comply with the requirements in clause 7.2 of EN 1022:2018.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian n ei 0 SUC