


Micro track 48V
Micro binario 48V




CE IP20 

LENGTH / LUNGHEZZA
1000 - 2000 - 3000 mm

FINISH / FINITURA
Black Goffratino



Cartesio wall/ceiling tracklights



1. AUROOM



2. MASTER



3. BOND



4. ADJUSTABLE SPOTLIGHT



5. SLASH



6. GLOBE



7. GLOBE PENDANT

Specifications at pages 328-329




Micro track 48V
Micro binario 48V

CE IP20 

LENGHT / LUNGHEZZA
1000 - 2000 - 3000 mm

FINISH / FINITURA
Black Goffratino



DESIGN LIGHTING

Cartesio pendant tracklights



1. GLOBE



2. AUROOM



3. BOND



4. MASTER



5. FIXED SPOTLIGHT


Specifications at pages 328-329

Auroom

Straight down light W. 315/915mm
Lampada lineare diretta L. 315/915 mm

4,9W LED / 14,4W LED
CRI90
600 lm / 1800 lm
2700K / 3000K

CE IP20   48V   MacAdam Step 3 UGR₁₉

**Master**

Straight diffused light W. 315/915mm
Lampada lineare diffusa L. 315/915 mm

4,9W LED / 14,4W LED
CRI90
600 lm / 1800 lm
2700K / 3000K

CE IP20   48V   MacAdam Step 3 UGR₁₉

**Slash**

Triangular lamp W. 314mm
Lampada triangolare L. 314mm

4,9W LED
CRI90
600 lm
2700K / 3000K

CE IP20   48V   MacAdam Step 3 UGR₁₉

**Bond**

5 or 10-lights spotlight
Faretto 5 o 10 luci

5,7W LED / 11,1W LED
CRI90
525 lm / 1050 lm
2700K / 3000K

CE IP20   48V   25-60° UGR₁₉



Spotlight

Adjustable spotlights Ø 30/43/53 mm
Faretti orientabili Ø 30/43/53 mm


3,2W / 10,6W / 13,9W - CRI90
177 lm / 720 lm / 1065 lm
2700K / 3000K

CE IP20   48V    MacAdam Step 3 UGR₁₉

**Spotlight**

Fixed spotlights Ø 30/43/53 mm
Faretti fissi Ø 30/43/53 mm

3,2W / 10,6W / 13,9W - CRI90
177 lm / 720 lm / 1065 lm
2700K / 3000K

CE IP20   48V   MacAdam Step 3 UGR₁₉

**Globe**

Round lamp Ø 100/120 mm
Lampada sfera Ø 100/120 mm

3W LED
CRI90
420 lm
2700K / 3000K

CE IP20   48V UGR₁₉

**Globe**

Round pendant lamp Ø 100/120 mm
Lampada sfera a sospensione Ø 100/120 mm

3W LED
CRI90
420 lm
2700K / 3000K

CE IP20   48V UGR₁₉

