

## Worktop

**1 Worktop** - MFC 28 mm, ABS edge 2mm

### OPTIONS WITH EXTRA CHARGE:

**2 Grommet** - 2 pcs, Ø 88 mm

**3 Mediabox M14H** - plastic frame, 2xRJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V; dimensions: 305x155x150mm; power cor 2000 mm

**4 Mediabox M14** - plastic frame, 2xRJ45 (class E, cat. 6); + 1 x USB + 4 x 230V; dimensions: 305x155x150mm; power cor 2000 mm


**5 Mediabox M071** - 1 x 230V + USB A charger + USB C charger, colour: black, white, mounted instead of the existing grommet Ø88mm (PK81)

**6 Top access M15** - plastic frame, dimensions: 292x112x18mm


**7 Cable way** - the width of the opening is proportional to the width of the opening is proportional to the width of the worktop

**8 Mediabox M071 + cable grommets**

**9 Cable way + cable grommets** - desks (51€), bench desks (102€)




## Dimensions of radial worktops (mm)




## Frame

**Ogi V** - legs - MFC 28 mm, modesty panel  
 - MFC 18 mm, aluminum spacer 60x20 mm  
 between top and leg




## High tables

- 1 Leveling** - 5 mm range
- 2 Profile** - powder coated steel, Ø30 mm
- 3 Base** - MFC 28 mm, ABS edge 2 mm
- 4 Worktop** - MFC 28 mm, ABS edge 2mm
- 5 Modesty panel** - MFC 18 mm




## Technical specification

- 1 Mediabox M14H** - 2xRJ45 (class E, cat. 6); +1 x USB + 1 x HDMI + 4x 230V
- 2 Worktop** - MFC 28 mm, ABS edge 2mm
- 3 Base** - MFC 28 mm, ABS edges 2mm
- 4 Front** - Push-to-Open, MFC 18 mm, ABS edge 2 mm
- 5 Handles** - VESA fixing, spacing 200x200, 300x300, 400x400mm, max weight of TV 20 kg



## Dimensions (mm) - MS01



## Cable management

