




**PEDRALI**

# Chart of categories and materials

## Guida alle tipologie e ai materiali



# Legend

## Legenda



**All dimensions are expressed in millimeters**  
Tutte le dimensioni sono espresse in millimetri



**Product suitable for outdoor use**  
Prodotto adatto per utilizzo in esterni



**Product not recommended for outdoor use**  
Prodotto non adatto per utilizzo in esterni



**Declaration of European conformity**  
Dichiarazione di conformità Europea



# Lighting index

## Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
<b>Colette</b>	034	<b>L002</b>	118
<b>L003TA</b> TABLE	038	<b>L002 CW</b> SUSPENSION	140
<b>L003TB</b> TABLE	040	<b>L002 S</b> SUSPENSION	126
<b>Giravolta</b>	010	<b>L002 ST</b> FLOOR	130
<b>1799</b> TABLE	016	<b>L002 SW</b> SUSPENSION	128
<b>1799/50</b> TABLE	020	<b>L002 T</b> FLOOR	132
<b>1799/130</b> FLOOR	022	<b>L002 W</b> WALL	129
<b>Happy Apple</b>	170	<b>L004</b>	144
<b>330, 331, 332</b> FLOOR	178	<b>L004 CW</b> SUSPENSION	159
<b>330A</b> WALL	189	<b>L004 S</b> SUSPENSION	149
<b>330E - 331E</b> SUSPENSION / FLOOR	177	<b>L004 SW</b> SUSPENSION	150
<b>332E</b> FLOOR	180	<b>L004 W</b> WALL	151
<b>330S, 331S</b> SUSPENSION	174	<b>Tamara</b>	048
<b>Isotta</b>	066	<b>L005 S</b> SUSPENSION	052
<b>L007 S/A</b> SUSPENSION	069	<b>Time Out</b>	162
<b>L001</b>	076	<b>TO.BE</b>	058
<b>L001 CW</b> SUSPENSION	101	<b>L006 S</b> SUSPENSION	060
<b>L001 S</b> SUSPENSION	084	<b>L006 SW</b> SUSPENSION	059
<b>L001 ST</b> FLOOR	094		
<b>L001 SW</b> SUSPENSION	088		
<b>L001 T</b> FLOOR	096		
<b>L001 TA</b> TABLE	090		
<b>L001 W</b> WALL	092		

“Light is warm,  
light is cold,  
light gives atmosphere,  
light decorates,  
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,  
la luce è fredda,  
la luce fa atmosfera,  
la luce arreda,  
la luce crea intimità”

# Giravolta

## The wireless outdoor lighting

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2017

EN — Inspired by lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

IT — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



Lighting lampada Giravolta  
Lounge armchair poltrona lounge Babila Comfort  
Pouf Buddy  
Coffee table tavolino Buddy  
Cushion cuscino Social Plus





# Lighting

## Lampada


touch control  
and three light  
intensities  
dispositivo touch  
di accensione,  
regolazione di tre  
diverse intensità  
luminose e  
spegnimento

Lithium battery:  
over 8 hours operating time  
Batteria al litio:  
durata per oltre 8 ore

60 LED light source  
2W, 3000 K




1799









1799/130



## #PedraliBacktoNature

Salone del Mobile.Milano 2023  
Milan, Italy

Project: Exhibition stand

Architect and Styling: DWA Design Studio

Products: Souvenir side chair and armchair,  
Elliot table, Hevea pot-holder, Giravolta lighting



## Caffè del Tasso

Piazza Vecchia  
Bergamo, Italy

**Project:** Café & Restaurant

**Products:** Giravolta lighting, Nolita side chair, armchair, barstool and table, Liberty table, Ara armchair, Glam chair

## Landscape Festival

I Maestri del Paesaggio 2022  
Bergamo, Italy

**Project:** Outdoor

**Products:** Giravolta lighting,  
Nolita Sofà, Caementum coffee table





## Bohem La Stazione

Paratico, Italy

Project: Florist, Caffé & Restaurant

Products: Giravolta lighting.

Tweet armchair, Inox table, Log armchair.

Nolita armchair, chaise-longue and table





## Temporary installation

Paratico, Italy

Project: Outdoor

Products: Giravolta lighting,  
Intrigo armchair, Laja table





## Green Design

Città Alta,  
Bergamo, Italy

Project: Temporary installation

Products: Giravolta lighting,  
Tribeca side chair, armchair,  
loung armchair and  
sofa, Nolitta table






## Host 2019

Milan, Italy

**Project:**  
Exhibition stand  
**Architect:**  
CalviBrambilla  
**Products:** Giravolta  
lighting, Tribeca side  
chair, Nolita table

### SIZES / DIMENSIONI



### FINISHES / FINITURE

polypropylene and aluminium / polipropilene e alluminio



B1200E

NPE

BE200E

AR400E

GI100E

VE100E

RA100E

### electrical features / caratteristiche elettriche

- **Light:** LED ARRAY 2W 3,7V 500mA 3000K 157 lm Class III
- **Battery:** Lithium battery (Li-Po), over 8 hours operating time
- **Cable:** black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/16), for indoor use

### AWARDS / PREMI



### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:1997 (Second Edition) used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-4:1997 used in conjunction with EN 60598-1:2015 (best report N°0099CE17)  
IEC 60598-2-4:1997 (Second Edition) usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2015 (best report N°0099CE17)



IP65 Suitable for outdoor use / IP65 Adatto per uso esterno

# Colette

Iconic light

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2013

EN — Colette is a table or bedside lamp in polycarbonate that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

IT — Colette è una lampada da tavolo o da comodino in policarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.



LIVING

Lighting lampada Colette  
 Coffee table tavolino Malmö  
 Lounge armchair poltrona lounge Malmö Relax



SLEEPING


Lighting lampada Colette  
 Coffee table tavolino Code  
 Pouf Wow





## Lighting

Lampada






L003TB



Stem in matt finish  
Corpo lampada  
finitura opaca



Height  
Altezza  
295 mm

Height  
Altezza  
495 mm

L003TA + L003TB



## Pedrali Solid Geometry

Salone Internazionale  
del Mobile 2017  
Milan, Italy

**Project:** Exhibition stand

**Architect:** CalviBrambilla

**Products:** Colette L003TB lighting,  
Oblique bar counter

## Private house

Italy

Project: Private house

Products: Colette L003TB lighting,  
Code coffee table, Buddy sofa



## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: Colette L003TB lighting,  
Oblique bar counter, Babila barstool



## Pedrali Light frames

Salone Internazionale  
del Mobile 2015  
Milan, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Products:** Colette L003TA lighting, L001S/BA lighting,

Ester side chair and armchair, Inox table,


Modus modular seating, Stylus table,

Malmö armchair, Tivoli side chair and armchair

### SIZES / DIMENSIONI

#### L003TA

Polycarbonate lighting



#### L003TB

Polycarbonate lighting



### FINISHES / FINITURE

polycarbonate / policarbonato

cable / cavo



### electrical features / caratteristiche elettriche

- Light L003TA: MAX 1X15W E14 220-240V 50/60 Hz IP20 Class II
- Light L003TB: MAX 1X32W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0020CE19 + N°014CE18)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N°0020CE19 + N°014CE18)



# Tamara

## Roaring Twenties

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2019

EN — Tamara is a suspension light that takes inspiration from the shape of the headlights of early twentieth-century automobiles, paying homage to Tamara de Lempicka, modernist painter, icon of elegance and charm, who in her famous self-portrait is behind the wheel of a green Bugatti.

IT — Tamara è una lampada a sospensione che trae ispirazione dalla forma dei fari delle auto del primo Novecento, rendendo omaggio a Tamara de Lempicka, pittrice modernista icona di eleganza e avanguardia che nel suo celebre autoritratto è alla guida di una Bugatti verde.



WORKING



EATING




## Lighting


Lampada



Aluminium diffuser  
Diffusore in alluminio  
Ø 180 mm



Diffuser available in  
powder coated, satin  
brass or satin copper  
Diffusore verniciato,  
ottone satinato o  
rame satinato







## #PedraliPalaceofWonders

Maison & Objet 2020  
Paris, France

Project: Exhibition stand

Architect: CalviBrambilla

Products: Tamara lighting, Héra armchair, Inox table

## #pedralitales

Alcácer do Sal, Portugal

Project: 2020 ADV campaign

Products: Tamara lighting, Vic side chair, Inox coffee table



## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla


Products: Tamara lighting, Soul armchair, Babila table



### SIZES / DIMENSIONI

#### LO05S/A

Suspension lamp with aluminium diffuser



### FINISHES / FINITURE

ceiling rose / rosone



Ø 100

Ø 100

RB

RN

aluminium / alluminio



OS

RM2

powder coated / verniciato



NEF

GA

BE200

BI200

RA200

TE

GI200

VE100

Soft-touch

electrical features / caratteristiche elettriche

- Light LO05S/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 • A1:2018 (test report N°0459CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 • A1:2018 (test report N°0459CE19)



# TO.BE

## Essential shape

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2019

EN — TO.BE is a suspension light, ironically named to reflect its shape - a tube suspended in the air. An essential lamp, with a narrow cylinder in polycarbonate, white powder coated inside, available in a wide palette of colors outside, with a hole in the upper part of the diffuser that allows light to shine out and illuminate the ceiling.

IT — TO.BE è una lampada a sospensione che nel nome richiama con ironia la sua forma: un tubo, sospeso nel nulla. Una lampada essenziale, composta da uno stretto cilindro in policarbonato verniciato bianco all'interno e in un'ampia palette di colori all'esterno, con un foro nella parte superiore del diffusore che permette la fuoriuscita della luce illuminando il soffitto.



## Lighting

### Lampada



Polycarbonate diffuser in  
powder coated pink brass finish  
Diffusore in policarbonato  
verniciato ottone rosa

L0065W/B



## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: TO.BE L006S/A lighting, Folk chair  
and barstool, Malmö table, Giravolta lighting



## #PedraliPalaceofWonders

Salone Internazionale  
del Mobile 2019  
Milan, Italy

**Project:** Exhibition stand

**Architect:** CalviBrambilla

**Products:** TO.BE L006SW/B lighting, Remind armchair,  
Modus modular seating, Stylus table, Elliot Table,  
Nym side chair and armchair





## Downtown Design 2019

Dubai, UAE

**Project:** Exhibition stand

**Architects:** CalviBrambilla

**Products:** TO.BE L006SW/B Lighting,

Elinor table, Ester side chair, armchair and

bag-rest pouf, Jazz armchair, Vic armchair,

Héra armchair, Nym armchair,


Modus modular seating, Elliot table,

Inox table, Jamaica armchair

### SIZES / DIMENSIONI


#### L006S/A

Suspension lamp with polycarbonate diffuser



#### L006SW/B

Suspension lamp with polycarbonate diffuser



### FINISHES / FINITURE

ceiling rose / rosone

powder coated / verniciato



electrical features / caratteristiche elettriche

- Light L006S/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I
- Light L006SW/B: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe II

Light bulb excluded / Lampadina esclusa

### CERTIFICATES / CERTIFICAZIONI

L006S/A  
IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0459CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0459CE19)

L006SW/B  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°104ACE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) + A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°104ACE16rev1)



# Isotta

## Roaring Twenties

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2022

**EN** — Isotta is a small suspension lamp that draws inspiration from the shape of the headlights of early 20th century cars.

Made of aluminium powder-coated in different colours, Isotta stands out for its soft, enveloping shape.

Isotta is a versatile product that seamlessly fits in a variety of compositions, creating striking geometries and customising any setting.

**IT** — Isotta è una lampada a sospensione dalle dimensioni contenute che trae ispirazione dalla forma dei fari delle auto del primo Novecento. Realizzata in alluminio verniciato in diversi colori, si caratterizza per una forma morbida e avvolgente.

Isotta è un prodotto trasversale che può ispirare diverse composizioni al fine di creare geometrie e personalizzare l'ambiente all'interno del quale viene collocata.

WORKING





## Lighting Lampada





Diffuser available in matt powder  
coated, satin brass or satin copper  
Diffusore verniciato opaco, ottone  
satinato o rame satinato



Opaline polycarbonate closer  
Base a lente in policarbonato opalino



Aluminium diffuser  
Diffusore in alluminio  
Ø 180 mm



L007S/A



## #PedraliBacktoNature


Salone del Mobile. Milano 2023  
Milan, Italy

Project: Exhibition stand

Architect and Styling: DWA Design Studio

Products: Isotta lighting, Jeff sofa,  
Blume coffee table, Ila lounge armchair,  
Lamorisse armchair, Frank table,  
Giravolta lighting





## #PedraliNewHorizons

Salone del Mobile.Milano 2022  
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla


Styling: Studio Salaris

Products: Isotta lighting, Elinor table

### SIZES / DIMENSIONI

#### L007S/A

Suspension lamp with  
aluminium diffuser



### FINISHES / FINITURE

ceiling rose / rosone



RB

RN

aluminium / alluminio



OS

RM2

powder coated / verniciato



NEF

GA

BE200

BI200

RA200

TE

GI200

VE100

Soft-touch

electrical features / caratteristiche elettriche

- Light L007S/A: MAX 1x23W E27 FBT 50-60Hz 220-240V IP20 Classe I

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 • A1:2018 (test report N°0459CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 • A1:2018 (test report N°0459CE19)



# L001

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An aery atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in policarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del policarbonato stampato.



MEETING



LOUNGING



Lighting lampada L0015W/A  
Side chair sedia Osaka  
Armchair poltrona Osaka  
Modular seating seduta modulare Modus  
Table tavolo Inox






## Lighting

Lampada



L001S/A


Polycarbonate diffuser,  
white glossy finish  
Diffusore in policarbonato,  
finitura bianco lucido



Two polycarbonate  
diffusers, glossy finish  
Due diffusori in policarbonato,  
finitura lucida

L001S/AA





**EASY LINK**  
patented system  
Sistema EASY LINK  
brevettato



**Polycarbonate diffuser,**  
**soft-touch finish**  
Diffusore policarbonato,  
finitura soft-touch




L0015/BA



L0015/B






WALL / DA PARETE



Polycarbonate diffuser,  
matt black laquered  
Diffusore in policarbonato  
laccato nero opaco

WALL / DA PARETE



Steel tube frame  
Telaio in tubo di acciaio





L001ST/B



L001ST/BA



L001T/B



Foot switch  
Accensione a pedale

L001T/BA

## #pedralitales

Antwerp, Belgium

Project: 2021 ADV campaign

Products: Blume side chair,  
Aero table, L001 lighting



## Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L001SW/BA lighting,

Fox armchair, Babila table



## Pedrali Solid Geometry

Salone Internazionale

del Mobile 2017

Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: L001CW/AA and L001ST/B

lighting, Arki-Table, Babila armchair



## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: Calvi&Rambilla

Products: L001 CW/AA lighting,  
Jazz barstool, Ikon table



## Cadebasi Franciacorta

Erbusco, Italy

Project: Café & Restaurant

Products: L001 CW/AA lighting, Jil barstool

## Pedrali Urban Life

Salone Internazionale  
del Mobile 2016  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** Migliore+Servetto Architects  
**Products:** L001 CW/A and L001 CW/B  
lighting; Social and Social Plus modular  
seatings; Inox table, Malmö coffee table,  
Stylus table, Babila barstool



## Chromavis Fareva

Cremona, Italy

**Project:** Company canteen  
**Products:** L001S/BA lighting,  
Arki-Table, Ingla side chair





## Pedrali Urban Life

Salone Internazionale  
del Mobile 2016  
Milan, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Products:** L001 W90/A lighting, Modus modular seating, Inox table, Tivoli side chair and armchair, Malmö side chair and armchair, Ester side chair and armchair

## Pedrali Flying Boxes

Salone Internazionale  
del Mobile 2014  
Milano, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Product:** L001S/A lighting,  
Brera barstool



**L001S/A**


Suspension lamp with polycarbonate diffuser

**L001S/B**

Suspension lamp with polycarbonate diffuser

**L001SW/A**

Suspension lamp with polycarbonate diffuser

**L001SW/B**

Suspension lamp with polycarbonate diffuser

**L001S/AA\* (A+A)**

Suspension lamp with two polycarbonate diffusers

**L001S/BB\* (B+B)**

Suspension lamp with two polycarbonate diffusers

**L001SW/AA\* (A+A)**

Suspension lamp with two polycarbonate diffusers

**L001S/BA\* (B+A)**

Suspension lamp with two polycarbonate diffusers

**L001SW/BA\* (B+A)**

Suspension lamp with two polycarbonate diffusers



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

ceiling rose / rosone



electrical features / caratteristiche elettriche

- **L001S Light:** MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- **L001SW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

**L001S**  
IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0005CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0005CE19)

**L001SW**  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°0104CE19rev1)  
IEC 60598-2-1:1979 (Prima Edizione) + A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0104CE19rev1)



**LO01CW/A\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**LO01CW/B\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**LO01CW/AA\*\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp

**LO01CW/BA\*\_3, 6, 8**

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

**cable clamp** / Rissacavo



**NEF**  
Matt black  
Nero opaco

**electrical features** / caratteristiche elettriche

- **LO01CW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

**Light bulb excluded** / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

LO01CW  
IEC 60598-2-1:1979 (First Edition) • A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (test report N°0104CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) • A1:1987 usato in conformià con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformià con EN 60598-1:2015 (test report N°0104CE16rev1)

**LO01TA/A**

Table lamp, steel frame, polycarbonate diffuser

**LO01TA/AA\* (A+A)**

Table lamp, steel frame, two polycarbonate diffusers



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

**steel base** / base in acciaio



**\_BI300**  
White  
Bianco



**\_NERO**  
Black  
Nero

**electrical features** / caratteristiche elettriche

- **LO01TA Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

**Light bulb included** / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

LO01TA  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 • A1:2018 (test report N°0018CE19)  
IEC 60598-2-4:2017 usato in conformià con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformià con EN 60598-1:2015 • A1:2018 (test report N°0018CE19)



**L001W20/A**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W40/A**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W90/A**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W20/AA\* (A+A)**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffusers

**L001W40/AA\* (A+A)**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffusers

**L001W90/AA\* (A+A)**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffusers

**L001W40/B**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W90/B**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W40/BA\* (B+A)**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser

**L001W90/BA\* (B+A)**

Wall lamp with visible black cable,  
matt steel frame, polycarbonate diffuser



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

## cable clamp / Fissacavo



NEF  
Matt black  
Nero opaco

## frame / struttura



NEF  
Matt black  
Nero opaco

OA  
Antique brass  
Ottone anticato

## electrical features / caratteristiche elettriche

- L001W Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI


IEC 60598-2-1:1979 (First Edition) • A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (last report N°0194CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) • A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0194CE16rev1)



SIZES / DIMENSIONI


LO01ST/B

Floor lamp, steel frame,  
polycarbonate diffuser



LO01ST/BA\* (B+A)

Floor lamp, steel frame,  
two polycarbonate diffusers



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



**\_BI300**  
White  
Bianco

**\_NERO**  
Black  
Nero

**\_BE200**  
Beige

**\_OA**  
Antique brass  
Cottone anticato

electrical features / caratteristiche elettriche

- **LO01ST Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0018CE19)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N°0018CE19)



SIZES / DIMENSIONI


LO01T/B

Floor lamp version with a steel base,  
polycarbonate diffuser, foot pedal to switch on



LO01T/BA\* (B+A)

Floor lamp version with a steel base, two  
polycarbonate diffusers, foot pedal to switch on



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



**\_BI300**  
White  
Bianco

**\_NERO**  
Black  
Nero

electrical features / caratteristiche elettriche

- **LO01T Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0015CE19)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N°0015CE19)




polycarbonate diffuser / diffusore in policarbonato

---


transparent / trasparente

---




solid colour

---



soft-touch coated / verniciato finitura soft-touch

---





# L002

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells. The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

IT — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in policarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.



Lighting lampada L002T/BA  
Sofa divano Social Plus  
Coffee table tavolino Code







Lighting lampada L002T/BA  
Armchair poltrona Laja  
Table tavolo Arki-Table  
Pot vase Kado 2  
Umbrella stand parasombrelli Brik  
Coat hanger appendiabiti Flag Wall



## Lighting

### Lampada



**Polycarbonate diffusers  
white glossy finish**  
Diffusori in policarbonato  
bianco lucido







Steel structure,  
matt finish  
Struttura in acciaio,  
finitura opaca

L002ST/BA









## Private house

Milan, Italy

Project: Private house

Products: L002T/BA and L002ST lighting.

Noa side chair, Arki-Table



## #pedralitales

Antwerp, Belgium

Project: 2021 ADV campaign

Products: LO02ST/BA lighting, Buddy sofa and pouf, Blume lounge armchair and coffee table

## Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: LO02SW/BA lighting,

Arki-Table, Nym side chair and armchair





## Private office


Bergamo, Italy

**Project:** Office  
**Products:** L002ST/BA lighting,  
 Host modular seating,  
 Noa side chair

## SIZES / DIMENSIONI


### L002S/BA

Suspension lamp with  
 two polycarbonate diffusers



### L002SW/BA

Suspension lamp with two  
 polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

### ceiling rose / rosone



### electrical features / caratteristiche elettriche

- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

**L002S**  
 IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
 EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (test report N°0005CE19)  
 IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
 EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (test report N°0005CE19)

**L002SW**  
 IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
 EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (test report N°0104CE1Rev1)  
 IEC 60598-2-1:1979 (Prima Edizione) + A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
 EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report N°0104CE1Rev1)



**L002CW/BA\_3, 6, 8**

Suspension lamp with two polycarbonate diffusers, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

cable clamp / Fissacavo



**NEF**  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

L002CW  
IEC 60598-2-1:1979 (First Edition) • A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°0104CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) • A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0104CE16rev1)

**L002W40/BA**

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers

**L002W90/BA**

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

## FINISHES / FINITURE

cable clamp / Fissacavo



**NEF**  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L002W: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

steel frame / struttura in acciaio



**NEF**  
Matt black  
Nero opaco



**OA**  
Antique brass  
Ottone antichato


## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) • A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°0104CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) • A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0104CE16rev1)




**L002T/BA**

Polycarbonate diffusers, steel frame

**L002ST/BA**

Two polycarbonate diffusers, steel frame



## FINISHES / FINITURE

**steel base / base in acciaio****B1300**  
White  
Bianco**NERO**  
Black  
Nero**OA**  
Antique brass  
Ottone antichato  
L002ST/BA  
only**electrical features / caratteristiche elettriche**

- **Light L002T:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II  
Light bulb excluded / Lampadina esclusa
- **Light L002ST:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II  
Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI


**L002T**  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 • A1:2018 (best report N°0007CE19)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 • A1:2018 (best report N°0007CE19)

**L002ST**  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 • A1:2018 (best report N°0008CE19)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 • A1:2018 (best report N°0008CE19)

**polycarbonate diffuser / diffusore in polycarbonato****transparent / trasparente**

TR

RT

**solid colour**

NS

BI

**soft-touch coated / verniciato finitura soft-touch**

GA

# L004

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in policarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.



EATING



Lighting lampada L004S/A  
Chair sedia Brera  
Table tavolo Fabbrico  
Barstool sgabello Brera

Lighting lampada L004SW/A  
Chair sedia Frida  
Table tavolo Inox





## Lighting

### Lampada

Polycarbonate diffuser,  
soft-touch finish  
Diffusore policarbonato,  
finitura soft-touch







## Transparent atmospheres

IMM 2018  
Cologne, Germany

Project: Exhibition stand  
Architect: Calvi&Brambilla

Products: L004SW/A lighting, Babila armchair and table, Babila Comfort lounge armchair, Malmö coffee table, Fox armchair



## Ironic Office

Orgatec 2016  
Cologne, Germany

Project: Exhibition stand  
Architect: CalviBrambilla  
Products: L004S/A lighting,  
Arki-Table, Dome side chair





## Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,  
Babila side chair, Ikon Big table

## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: L004SW/A lighting,  
Arki-Table, Laja Wings armchair,  
Vic armchair, Ikon table



**L004S/A**

Polycarbonate diffuser,  
white ceiling rose transparent cable

**L004SW/A**

Polycarbonate diffuser,  
black ceiling rose and cable



## FINISHES / FINITURE

## ceiling rose / rosone



## electrical features / caratteristiche elettriche

- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004SW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

**L004S**  
IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0005CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0005CE19)



**L004SW**  
IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°0104CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) + A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0104CE16rev1)

**L004CW/A\_3/6/8**

Suspension lamp with two  
polycarbonate diffusers, cable  
length 3000, 6000, 8000 mm,  
with 2, 4, 5 cable clamp



## FINISHES / FINITURE

## cable clamp / Fissacavo



NEF  
Matt black  
Nero opaco

## electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

## CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) + A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (best report N°0104CE16rev1)  
IEC 60598-2-1:1979 (Prima Edizione) + A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (best report N°0104CE16rev1)



SIZES / DIMENSIONI

**L004W40/A**

Wall applique version, visible black cable and powder coated steel frame in matt finish



**L004W90/A**

Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

cable clamp / fissacavo



**NEF**  
Matt black  
Nero opaco

steel frame / struttura in acciaio



**\_OA**  
Antique brass  
Ottone anticato



**NEF**  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- **Light L004W:** MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

**Light bulb excluded /** Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-1:1979 (First Edition) • A1:1987 used in conjunction with IEC 60598-1:2014 (Eighth Edition)  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 (test report N°D104CET6rev1)  
IEC 60598-2-1:1979 (Prima Edizione) • A1:1987 usato in conformità con IEC 60598-1:2014 (Ottava Edizione)  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report N°D104CET6rev1)



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



BE

GA

RM

NS

VE

# Time Out

Soft atmosphere

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling. Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.



## Lighting

Lampada



Floor lamp in rotational  
moulded polyethylene  
Lampada da terra in polietilene  
stampato in rotazionale

T\_OUT/BI\_LUCE



## Touchpoint Co-Design experiments

La Triennale di Milano, Italy

**Project:** Temporary conference room

**Products:** Time Out lighting,  
Happy Apple lighting, Giravolta lighting,  
Ara Lounge armchair, Nolita table




## Landscape Festival

I Maestri del Paesaggio 2022  
Bergamo, Italy

Project: Outdoor

Products: Time Out lighting, Giravolta lighting,  
Tribeca barstool, Elliot poseur table, Oblique bar counter



## Temporary installation

Brescia, Italy

Project: Temporary installation

Products: Time Out lighting,  
Ikon table, Plus armchair,  
Plus Air lounge armchair and sofa



## Private house

Bergamo, Italy

**Project:** Outdoor

**Products:** Time Out lighting.

Tetris bar counter, Kado pot

### SIZES / DIMENSIONI

T\_OUT/BI\_LUCE

Polyethylene lighting

T\_OUT\_FIX

Floor fixing kit



### FINISHES / FINITURE

polyethylene / polietilene



electrical features / caratteristiche elettriche



BI

- **Light:** MAX 2x27W E27 220-240V 50/60 Hz IP44 Class II

**Lighting kit included / Kit illuminazione compreso**

### CERTIFICATES / CERTIFICAZIONI

IEC 60598-2-4:1997 used in conjunction with IEC 60598-1:2008 (A11:2009)  
 EN 60598-2-4:1997 used in conjunction with EN 60598-1:2008 (A11:2009) (test report N°0280CE11)  
 IEC 60598-2-4:1997 usato in conformità con IEC 60598-1:2008 (A11:2009)  
 EN 60598-2-4:1997 usato in conformità con EN 60598-1:2008 (A11:2009) (test report N°0280CE11)



# Happy Apple

## Lighting temptation

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2012

EN — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

IT — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applicque da parete.





Lighting lampada Happy Apple  
Armchair poltrona Log  
Lounge armchair poltrona lounge Log  
Table tavolo Arki-Table  
Coffee table tavolino Code

## Lighting

Lampada









Floor lamp version for outdoor,  
optional fixing kit on the floor  
Versione da terra per outdoor,  
kit di fissaggio a terra opzionale  
Ø 1200 mm

332E








## Private house

Brescia, Italy

**Project:** Private house

**Products:** Happy Apple 330E,  
331E, 332E lighting



## Bulgari Hotel Milano

Milan, Italy

**Project:** Temporary installation

**Architect:** Migliore+Servetto Architects

**Product:** Happy Apple 330E,  
331E, 332E lighting





## Settepertredici

Brescia, Italy

Project: Outdoor

Products: Happy Apple 330E, 331E,  
332E lighting, Host lounge seating,  
Iglloo bar counter, Rubik barstool



## Štravs Gostilna

Šmarje pri Jelšah, Slovenia

Project: Restaurant

Architect: Ab objekt d.o.o.

Products: Happy Apple 330E,  
331E, 332E lighting,

Ikon table, Babila armchair,  
Malmö armchair, Osaka Metal  
barstool, Gliss lounge armchair



## A Wheel for Pedrali

Salone Internazionale  
del Mobile 2012  
Milan, Italy

**Project:** Exhibition stand

**Architect:** Migliore + Servetto Architects

**Products:** Happy Apple 330E,  
331E lighting, Tetris bar counter

## Green Design

Piazza Antico Lavatoio  
Bergamo, Italy

**Project:** Temporary installation

**Products:** Happy Apple 330E lighting,  
Ikon bench modular seating,  
Giravolta lighting, Ara Lounge armchair



**330E**  
Floor polyethylene  
lighting for outdoor



Suspension polyethylene  
lighting for outdoor



**331E**  
Floor polyethylene  
lighting for outdoor



Suspension polyethylene  
lighting for outdoor



**332E**  
Floor polyethylene lighting  
for outdoor



## FINISHES / FINITURE

polyethylene  
polietilene



cap and handle  
tappo e maniglia



electrical features  
caratteristiche elettriche

- **Light:**  
MAX 1x32W E27 220-240V 50/60 Hz IP65 Class II

Light bulb included / Lampadina inclusa



BI



VE

## CERTIFICATES / CERTIFICAZIONI

330-330E-331-331E-332-332E  
IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0011CE19)  
IEC 60598-2-4:2017 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-4:2018 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0011CE19)



**330**  
Floor polyethylene lighting



**330S**  
Suspension polyethylene lighting



**331**  
Floor polyethylene lighting



**331S**  
Suspension polyethylene lighting



**332**  
Floor polyethylene lighting



**330A**  
Wall/ceiling polyethylene lighting



## FINISHES / FINITURE

polyethylene, cap and handle  
polietilene, tappo e maniglia



BI

ceiling rose  
rosone



RB

electrical features  
caratteristiche elettriche

- **Light:**  
MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

## CERTIFICATES / CERTIFICAZIONI

330S, 331S  
IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0026CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0026CE19)

330A  
IEC 60598-2-1:1979, AMD1:1987 used in conjunction with IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 used in conjunction with EN 60598-1:2015 + A1:2018 (best report N°0025CE19)  
IEC 60598-2-1:1979, AMD1:1987 usato in conformità con IEC 60598-1:2014, AMD1:2017  
EN 60598-2-1:1989 usato in conformità con EN 60598-1:2015 + A1:2018 (best report N°0025CE19)



## Pedrali Lighting | Edition 2023

Creative & design direction Leftloft

Print Intese Grafiche

Copyright © 2023, Pedrali S.p.A. All rights reserved

### Photo credits

BHM Studio	Chiara Berselli
Beppe Brancato	Elisabetta Brian
Mattia Paganì	Fabrice Dunou
Ottavio Tomasini	Matej Lozar
Andrea Garuti	Rami Mansour

### Thanks to

Alessi  
Bohem Fiori  
CC-Tapis  
Gio Pastori  
Interno 8  
Livellara  
Marazzi  
Mario Luca Giusti

Mepra  
Moleskine  
Society

### Styling

Elena Caponi  
Elena Mora  
Sissi Valassina  
Studio Salaris

---

**Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.**

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

### Industrial property right | Diritto di proprietà industriale

**I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.**

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.

