

ZEDO PET

Technical information



Other documents available for this product

Technical information for ZEDO desks

Technical information for ZEDO conference & meeting tables

Ordering guidelines for ZEDO desks

Cable management guidelines for ZEDO desks

Quality standard

LST EN 1023-1:1998

LST EN 1023-2:2000


LST EN 1022-3:2000

Sound absorption class

A (ISO 11654:1999)

Warranty

See Warranty Statement



Technical information

Screen composition

- One PET fibre board (9 mm) cut, wrapped and glued to welded metal structure, made of 40x10 mm tubes;
- Powder coated metal;
- Solvent-free eco glues.

Metal brackets

- Bent 4 mm sheet metal clamping brackets;
- Powder coated metal;
- Galvanized clamping pad;
- Plastic knob with metal screw for tightening;
- Brackets designed to be attached to the desktop of 17-27 mm thickness.

Accessories

Shelf (1)

- Hanged on the screen, no tools required;
- 1,5 mm sheet metal, powder coated;
- Dimensions: 256x117, H=75 mm (outer), 253x84, H=74 mm (inner, box).

Magnetic board (2)

- Hanged on the screen, no tools required;
- Not suitable to be written on with markers;
- 1,5 mm sheet metal, powder coated;
- Dimensions: 350x32, H=350 mm.

1




2




Range

Screens


Front




Side



Central (for double benches)




Central (for single row desk benches)




Accessories

Shelf



Magnetic board



Additional information

- Screens are 450 mm shorter than the desks, as the space on the sides is meant for optional shelves.

- If you are not ordering optional shelves and would like the screen to cover the full length between the legs, please order a one size larger screen. E.g., for 1200 mm desk you should order a 1400 mm screen. For this reason, there are two screen options for the desk of 1800 mm length.

