

## Technical specification

### 1 Top panel:

- outside - MDF 28 mm, upholstered, colour: LDS27 - black
- inside - chipboard 12 mm upholstered, colour: LDS27 - black, two-point lighting; exhaust fans activated by a motion detector(adjustable ventilation speed) ; ventilation grate in the floor

### 2 Body - 58 mm, upholstered walls with acoustic filling

### 3 Shelf - MDF board 28 mm, lacquered, measurements: 1070x388x28x28 mm, colour: black

### 4 Mediabox - 2x230V + 1xUSB + 1xUSB type C



### 5 Rotary knob - powder coated steel, colour: black

### 6 Door - toughened glass 8 mm, clear, right

### 7 Bottom rim:

- outside - MDF 28 mm, upholstered, colour: LDS27 - black
- inside - chipboard 18 mm, carpet, colour: graphite

### 8 Electric hook - up



## Stool






### 1 Seat - upholstered, filled with 60 mm thick foam

### 2 Body - chipboard frame

### 3 Plant pot - plastic, depth 470 mm

### 4 Feet - plastic, 3 units



### 5 Base - lacquered MDF, colour: black



## Cool - stool

## Dimensions (mm)


- 1 360° Seat** - polypropylene base, molded foam, density of 65 kg/m<sup>3</sup>, upholstered
- 2 Gas lift** - polypropylene cover
- 3 Base** - polypropylene, covered in non-slip rubber
- 4 Button** - allowing for height adjustment



\* wobble (left, right)  $\pm 20^\circ$

**Stool**

- 1 Seat** - upholstered, filled with 60 mm thick foam
- 2 Body** - chipboard frame
- 3 Plant pot** - plastic, depth 470 mm
- 4 Feet** - plastic, 3 units
- 5 Base** - lacquered MDF, colour: black

**Dimensions (mm)**