

# SOFT ROCK lounge & soft furniture

Design by Christina Strand and Niels Hvass | Denmark



## FEATURES

- Modular lounge system with endless possibilities to create unique and inspiring spaces;
- Easy to assemble and disassemble;
- Integrated power sockets or USB (Type A+C, max 5A) modules enables charging of mobile phones, tablets or laptops;
- Cable management solutions ETL Listed to UL 962A for North America and SEV 1011 for Switzerland;
- Dividing screens sound absorption class C (only when upholstered with fabric, not RNN).

## QUALITY STANDARD

- LST EN 16139:2013 (level 2)
- EN 1023-1:1998
- EN 1023-2:2000
- EN 1023-3:2000
- LST EN ISO 354:2004
- LST EN ISO 11654:1998

## TECHNICAL INFORMATION

### Type

- Lounge chairs and modular system.

### Lounge seaters

- Black plastic feet with plastic glides (PP), height 63 mm, 4 pcs (felted glides adds extra 3 mm);
- Internal frames made from 15 mm chipboard;
- Curved internal frames made from 15 mm chipboard and 15 mm bent plywood;
- Backrest fixed to the internal frame with powder coated metal tubes 40x30 mm;
- Bottom plate made from 25 mm MFC (melamine) with 2 mm ABS edging;
- Bottom plate fixed to the internal frame with powder coated connectors from metal tube 60x60 mm;
- Bottom plates have ability to install linking brackets, which allows linkage of the seaters into modular combinations;
- Maximum functional load 110 kg;
- Preassembled connectors (metal) for side armrests or screens for quick mounting;
- Seats made from molded polyurethane foam (density: 55 kg/m<sup>3</sup>);
- Backrests made from molded polyurethane foam (density: 55 kg/m<sup>3</sup>);
- Sides and backs softened with foam VB3842 (density: 36-39 kg/m<sup>3</sup>);
- Upholstered with fabric or RNN, without gluing.

### Side armrests

- Internal frame made from 12 mm, 25 mm chipboard, 3 mm HDF and 3 mm flexible plywood;
- Preassembled connectors (plastic) for quick mounting to lounge seaters;
- Covered with foam VB3842 (density: 36-39 kg/m<sup>3</sup>);
- 1 AC power socket 100 – 230 V (EU, UK, FR, CH, US) or USB fast charger (USB Type A+C, max 5A), cable ends with connector GST18i3 male, length – 0,3 m;
- Upholstered with fabric or RNN.

### Armrests with metal base

- Internal frame made from 12 mm chipboard and 3 mm HDF;
- Covered with foam VB3842 (36-39 kg/m<sup>3</sup>);
- 1 AC power socket 100 – 230 V (EU, UK, FR, CH, US) or USB fast charger (USB Type A+C, max 5A), cable ends with connector GST18i3 male, length – 0,6 m;
- Bottom base, for positioning between seaters, made from 3 mm metal sheet, black powder coated;
- Upholstered with fabric or RNN.

### Screens

- Made from 16 mm chipboard;
- Covered with 10 mm acoustic foam;
- Preassembled connectors for quick mounting to lounge seaters;
- Upholstered with fabric or RNN.

### Screen table

- Made from 18 mm birch plywood, covered in veneer with sloping edges;
- All edges are rounded: R1 mm;
- Mounting brackets made from 4 mm metal sheet, black powder coated;
- Mounted 700 mm from the ground (300 mm from the seat);
- Bolts covered with black plastic (PE) caps.

### Linking brackets for lounge seaters

- Brackets are made from black powder coated metal tube 50x15 mm.

## CABLE MANAGEMENT (OPTIONAL)

### Power supply cables

- AC plug – GST18i3 female connector;
- AC plug standards: EU, UK, FR, CH, US;
- Cable lengths: 1 m and 3 m;
- Cable core: 1,5mm<sup>2</sup> (EU, FR, UK, CH);
- Inline Overcurrent Protection (OCP 10A) (CH);
- Inline Overcurrent Protection fulfills statutory requirements: in the USA for more than 3 sockets, in Switzerland for more than 1 socket;
- Black color.

### Extension cables

- GST18i3 female connector – GST18i3 male connector;
- Cable lengths: 1 m, 2 m and 3 m;
- Cable core: 1,5 mm<sup>2</sup> (EU, FR, UK, CH);
- Black color.


### Distributor blocks

- GST18i3 1-2 block (1 IN (male), 2 OUT (female)), black color;
- GST18i3 1-3 block (1 IN (male), 3 OUT (female)), black color;
- GST18i3 1-5 block (1 IN (male), 5 OUT (female)), black color.




## RANGE

### Lounge chairs




### Modular system


#### Seaters




#### Armrest




#### Side armrest



#### Screens





#### Screen with a coffee table





## ADDITIONAL INFORMATION

### Ordering linking brackets for lounge seaters

- Linking brackets can be used to connect lounge seaters through sides or back;
- Current combination, below, consists of: SRS102-000 – 3 pcs., SRS103-000 – 3 pcs., SRS000 – 6 pcs.:



- For modularity, like this below, is enough to connect every second or every third back with SRS000: SRS002-000 – 10 pcs., SRS000 - 11 pcs.



## Preassembled connectors on lounge seaters

- Depending on modularity, lounge seaters can be ordered with factory preassembled connectors for faster side armrest and screens assembly;

Metal connector preassembled on lounge seaters



Plastic connectors preassembled on screens or side armrests


Metal connector preassembled on lounge seater




Plastic connector preassembled on screen



- Seaters SRS001, SRS002 and SRS003 can have factory preassembled metal connectors for 2 sides: R/H (A) and L/H (B);




- Seaters SRS101, SRS102 and SRS103 can have factory preassembled metal connectors for 2 sides: R/H (A) and L/H (B);



## Screens or side armrests connections

- Center versions of side armrests or screens have preassembled connectors on both sides and two separate seaters combines into one. **In this case SRS000 cannot be used;**
- Current combination consists of: SRS002-001 – 2 pcs., SRS002-100 – 2 pcs., SRS203 – 2 pcs., SRS000 - 2 pcs.






## NOT RECOMMENDED COMBINATIONS



- SRS103 cannot stand alone;



- SRS103 cannot stand alone with armrest (-s) or screen (-s);



- SRS103 cannot stand in the middle between SRS003;



- SRS001 cannot stand alone with armrest or screen from one side;



- Armrests SRS301, SRS302, SRS303 or SRS304 have metal base and can only be placed between two seaters.














# SOFT ROCK Lounge & Soft furniture

## CABLE MANAGEMENT GUIDELINES



! All electrical installations should be done by a qualified person in accordance with local regulation.

- Power supply cables for armrests must be ordered separately, according to most appropriate cable management scenario for specific situation;
- Electric power limits, of how much power sockets can be plugged into one mains socket, without overloading it, varies from country. Read the following information!

Market	Plug / Power cable	Power socket type	Max power (V x A)	Recommended / Legal maximum number of sockets fed from 1 plug	National standard	OCP* requirement
EU	Type E (16A)  To GST18i3 Female Cable core 1,5mm <sup>2</sup>	Type F  Schuttered Schuko (German)	230V x 16A = <b>3680W</b>	Maximum of 8 power sockets would be considered as safe and reasonable limit on a same shared circuit. More sockets (10-16) would be possible if on a dedicated circuit intended to use only office equipment such as laptops, tablets, phone chargers (less than 200W). Although this fully depends on the load of the equipment on a circuit as whole.	N/A	N/A
FR	Type E (16A)  To GST18i3 Female Cable core 1,5mm <sup>2</sup>	Type E  French/Belgian	230V x 16A = <b>3680W</b>	Maximum of 8 power sockets would be considered as safe and reasonable limit on a same shared circuit. More sockets (10-16) would be possible if on a dedicated circuit intended to use only office equipment such as laptops, tablets, phone chargers (less than 200W). Although this fully depends on the load of the equipment on a circuit as whole.	N/A	N/A
UK	Type G (13A)  To GST18i3 Female Cable core 1,5mm <sup>2</sup>	Type G  UK socket Fused (3,15A)	230V x 13A = <b>2990W</b>	Maximum 6 fused (3,15A) power sockets can be fed from single starter cable in office and education environments.	BS  6396:2008+A1:2015 Electrical systems in office furniture and educational furniture	N/A
CH	Type J (10A)  To GST18i3 Female Cable core 1,5mm <sup>2</sup>	Type J  Swiss socket	230V x 10A = <b>2300W</b>	Maximum of 6 power sockets would be considered as safe and reasonable limit on a same shared circuit. More sockets (8-10) would be possible if on a dedicated circuit intended to use only office equipment such as laptops, tablets, phone chargers (less than 200W). Although this fully depends on the load of the equipment on a circuit as whole.	SEV 1011  Swiss national standard for plugs and sockets for domestic use and similar purposes	For units hardwired to a plug with 2 or more sockets being fed from it (10A OCP)
US	Type B (15A)  To GST18i3 Female Cable core 14AWG	Type B  NEMA 5-15P	120V x 15A = <b>1800W</b>	Maximum of 8 power sockets can be fed from single starter cable in office and education environments.	UL 962A  UL STANDARD FOR SAFETY Furniture Power Distribution Units	For units hardwired to a plug with 4 or more sockets being fed from it (15A OCP – 14AWG cable)
EU FR UK CH US	Cable core 1mm <sup>2</sup> (European markets)  Cable core 18AWG (US market)	Type A+C (25W)   Twin USB fast charger	<b>3680W</b> <b>3680W</b> <b>2990W</b> <b>2300W</b> <b>1800W</b>	EU – max 30 sockets FR – max 30 sockets UK – max 30 sockets CH – max 20 sockets US – max 20 sockets	UL62368-1  Standard for Audio/ video, information and communication technology equipment Part 1: Safety requirements	N/A

\*Over Current Protection. Read the following information.




## STARTER CABLES WITH OCP

Over current protection (OCP) fulfills statutory requirements:

- For USA for more than 3 sockets (UL 962A);
- For Switzerland for more than 1 socket (SEV 1011).


OCP device is hardwired into starter cables and designed to open the internal contacts in the event of a current flow in excess of the rated current according to its time/current characteristics. This protects the device from damage, should a surge occur. It can also provide loadside protection to devices that are connected to higher rated supply side circuits.







A thermo bimetallic strip, which has the advantage of being immune to high inrush currents and line transients, is heated by over current and deflects thereby releasing the latch mechanism. The contacts open even if the reset button is manually held in the closed position. This is known as trip-free mechanism. The contacts open and close with a positive snap action and the tripped state is clearly indicated by the extended projection of the reset button.

There are many solutions of how to manage electric power cables with GST18i3 connectors. See below a few of the examples.

## ORDERING EXAMPLE 1




### Pricelist item's selection

	Description	Code	Quantity
① 	Lounge seater. Metal connectors on L/H	SRS002-001	1 pc.
② 	Lounge seater. Metal connectors on R/H	SRS002-100	1 pc.
③ 	Side armrest (center) with USB (plastic connectors)	SRS206	1 pc.
④ 	Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.




## ORDERING EXAMPLE 2



## Pricelist item's selection

		Description	Code	Quantity
1		Lounge seater. Metal connectors on L/H	SRS002-001	2 pcs.
2		Lounge seater. Metal connectors on R/H	SRS002-100	2 pcs.
3		Side armrest (center) with USB (plastic connectors)	SRS206	2 pcs.
4		Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.
5		Extension cable, 1 m	ZZZ348/ZUS051	2 pcs.
6		Distributor block (1 IN, 2 OUT)	ZZZ366	1 pc.
7		Set of linking parts	SRS000	2 pcs.

ORDERING EXAMPLE 3




## Pricelist item's selection

		Description	Code	Quantity
1		Lounge seater. Metal connectors on L/H	SRS002-001	4 pcs.
2		Lounge seater. Metal connectors on R/H	SRS002-100	4 pcs.
3		Side armrest (center) with USB (plastic connectors)	SRS206	4 pcs.
4		Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.
5		Extension cable, 1 m	ZZZ348/ZUS051	4 pcs.
6		Extension cable, 2 m	ZZZ349/ZUS052	1 pc.
7		Distributor block (1 IN, 3 OUT)	ZZZ367	1 pc.
8		Distributor block (1 IN, 2 OUT)	ZZZ366	1 pc.
9		Set of linking parts	SRS000	4 pcs.



ORDERING EXAMPLE 4






## Pricelist item's selection

		Description	Code	Quantity
1		Lounge seater. Metal connectors on L/H	SRS002-001	4 pcs.
2		Lounge seater. Metal connectors on R/H	SRS002-100	4 pcs.
3		Lounge seater. Metal connectors on R/H and L/H	SRS002-101	2 pcs.
4		Side armrest (center) with USB (plastic connectors)	SRS206	6 pcs.
5		Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.
6		Extension cable, 1 m	ZZZ348/ZUS051	7 pcs.
7		Extension cable, 2 m	ZZZ349/ZUS052	1 pc.
8		Distributor block (1 IN, 3 OUT)	ZZZ367	2 pcs
9		Distributor block (1 IN, 2 OUT)	ZZZ366	1 pc.
10		Set of linking parts	SRS000	5 pcs


ORDERING EXAMPLE 5



## Pricelist item's selection












		Description	Code	Quantity
1		Lounge seater. Metal connectors on L/H	SRS002-001	2 pcs.
2		Lounge seater. Metal connectors on R/H	SRS002-100	2 pcs.
3		Lounge seater. Metal connectors on R/H and L/H	SRS002-101	4 pcs.
4		Side armrest (center) with USB (plastic connectors)	SRS206	4 pcs.
5		Side armrest (R/H) with USB (plastic connectors)	SRS204	2 pcs.
6		Side armrest (L/H) with USB (plastic connectors)	SRS205	2 pcs.
7		Distributor block (1 IN, 5 OUT)	ZZZ368	1 pc.
8		Distributor block (1 IN, 3 OUT)	ZZZ367	1 pc.
9		Distributor block (1 IN, 2 OUT)	ZZZ366	1 pc.
10		Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.
11		Extension cable, 1 m	ZZZ348/ZUS051	9 pcs.
12		Extension cable, 2 m	ZZZ349/ZUS052	1 pc.
13		Set of linking parts	SRS000	4 pcs.

ORDERING EXAMPLE 6





## Pricelist item's selection

		Description	Code	Quantity
1		Lounge seater. Metal connectors on R/H and L/H	SRS002-101	2 pcs.
2		Lounge seater. Metal connectors on R/H	SRS002-100	1 pc.
3		Lounge seater. Metal connectors on L/H	SRS002-001	1 pc.
4		Side armrest (R/H) with USB (plastic connectors)	SRS204	1 pc.
5		Side armrest (center) with USB (plastic connectors)	SRS206	2 pcs.
6		Side armrest (L/H) with USB (plastic connectors)	SRS205	1 pc.
7		Set of linking parts	SRS000	1 pc.
8		Distributor block (1 IN, 2 OUT)	ZZZ366	3 pcs.
9		Power supply cable	ZZZ346/ZZZ347/ ZCH001/ ZCH002/ ZUS049/ ZUS050	1 pc.
10		Extension cable, 1 m	ZZZ348/ZUS051	5 pcs.
11		Extension cable, 2 m	ZZZ349/ZUS052	1 pc.

# SOFT ROCK Lounge & Soft furniture


## ORDERING GUIDELINES




- Proposed combinations are with glides suitable for soft floors (-). You can also order glides with felt for the hard floors (+). In this case, you should add 3 mm to the lounge seater height.
- Armrests can be plain or with built-in electricity solutions – power sockets or USB ports.
- **Please plan the location of the armrests with respect to the existing sockets on the site.**

# PROPOSED COMBINATIONS


## DIMENSIONS OF THE STRAIGHT TWO-SIDED SEATER COMBINATIONS




H = 400




H = 400




H = 690




H = 713




H = 690




H = 690



H = 690



H = 690




All dimensions are in millimetres.


## STRAIGHT TWO-SIDED SEATER COMBINATIONS



- |   |               |        |
|---|---------------|--------|
| ① | SRS101-S32-00 | 4 pcs. |
| ② | SRS000        | 4 pcs. |




- |   |                |        |
|---|----------------|--------|
| ① | SRS101-S45-00  | 4 pcs. |
| ② | SRS001-S17-000 | 2 pcs. |
| ③ | SRS000         | 6 pcs. |



- |   |                |        |
|---|----------------|--------|
| ① | SRS101-L02-00  | 4 pcs. |
| ② | SRS002-L03-000 | 4 pcs. |
| ③ | SRS303-L03-EU  | 2 pcs. |
| ④ | SRS000         | 8 pcs. |

Proposed electricity solution\*:

- |                               |        |
|-------------------------------|--------|
| ZZZ347 / ZCH002 / ZUS050 (US) | 1 pc.  |
| ZZZ348 / ZUS051 (US)          | 2 pcs. |
| ZZZ366                        | 1 pc.  |




- |   |                |        |
|---|----------------|--------|
| ① | SRS101-S56-00  | 2 pcs. |
| ② | SRS101-S56-10  | 1 pc.  |
| ③ | SRS101-S56-01  | 1 pc.  |
| ④ | SRS002-S55-000 | 2 pcs. |
| ⑤ | SRS002-S55-100 | 1 pc.  |
| ⑥ | SRS003-S55-001 | 1 pc.  |
| ⑦ | SRS403-S55     | 2 pcs. |
| ⑧ | SRS000         | 6 pcs. |

\* Assuming that the socket is on the ground and in the centre of the combination.




## STRAIGHT TWO-SIDED SEATER COMBINATIONS



①	SRS101-S32-10	2 pcs.
②	SRS101- S32-01	2 pcs.
③	SRS002- S32-100	1 pc.
④	SRS002- S32-001	1 pc.
⑤	SRS002- S32-000	2 pcs.
⑥	SRS003- S32-100	1 pc.
⑦	SRS003- S32-001	1 pc.
⑧	SRS209- S32-EU	4 pcs.
⑨	SRS000	6 pcs.

## Proposed electricity solution\*:

ZZZ348 / ZUS051 (US)	4 pc.
ZZZ350 / ZUS053 (US)	1 pc.
ZZZ366	1 pc.
ZZZ367	1 pc.
ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.




①	SRS101-C11-0	4 pcs.
②	SRS003-C06-000	4 pcs.
③	SRS002-C11-000	2 pcs.
④	SRS303-C06-EU	2 pcs.
⑤	SRS000	10 pcs.

## Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.

\* Assuming that the socket is on the ground and in the centre of the combination.


## STRAIGHT TWO-SIDED SEATER COMBINATIONS



①	SRS101-S56-00	4 pcs.
②	SRS002-S56-000	8 pcs.
③	SRS303-S55-EU	2 pcs.
④	SRS301-S55	2 pcs.
⑤	SRS000	12 pcs.

## Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.




①	SRS101-L06-00	4 pcs.
②	SRS003-L07-000	4 pcs.
③	SRS002-L07-000	2 pcs.
④	SRS001-L06-000	2 pcs.
⑤	SRS000	12 pcs.

\* Assuming that the socket is on the ground and in the centre of the combination.


**DIMENSIONS OF THE CURVED TWO-SIDED SEATER COMBINATIONS**




H = 690




H = 690




H = 690




H = 690




H = 690




H = 1263



H = 690




H = 713



All dimensions are in millimetres.


CURVED TWO-SIDED SEATER COMBINATIONS



①	SRS002-S55-000	2 pcs.
②	SRS102-S55-00	1 pc.
③	SRS103-S55-00	1 pc.
④	SRS102-S56-00	2 pcs.
⑤	SRS103-S56-00	2 pcs.
⑥	SRS002-S56-000	4 pcs.
⑦	SRS002-S56-100	1 pc.
⑧	SRS002-S56-001	1 pc.
⑨	SRS001-S55-100	1 pc.
⑩	SRS001-S55-001	1 pc.
⑪	SRS101-S55-00	2 pcs.
⑫	SRS203-S55	2 pcs.
⑬	SRS301-S56	1 pc.
⑭	SRS303-S56-EU	1 pc.
⑮	SRS000	15 pcs.

Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.




①	SRS101-S68-00	4 pcs.
②	SRS102-S68-00	2 pcs.
③	SRS103-S68-00	2 pcs.
④	SRS102-S46-00	2 pcs.
⑤	SRS103-S46-00	2 pcs.
⑥	SRS002-S46-000	4 pcs.
⑦	SRS000	16 pcs.

\* Assuming that the socket is on the ground and in the centre of the combination.




## CURVED TWO-SIDED SEATER COMBINATIONS



①	SRS101-S55-00	4 pcs.
②	SRS002-S56-100	2 pcs.
③	SRS002-S56-001	2 pcs.
④	SRS002-S56-000	8 pcs.
⑤	SRS102-S55-00	1 pc.
⑥	SRS103-S55-00	1 pc.
⑦	SRS403-S55	2 pcs.
⑧	SRS303-S55-EU	2 pcs.
⑨	SRS000	14 pcs.

## Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.



①	SRS101-S53-00	4 pcs.
②	SRS002-S50-000	6 pcs.
③	SRS001-S53-000	2 pcs.
④	SRS102-S53-00	3 pcs.
⑤	SRS103-S53-00	3 pcs.
⑥	SRS000	18 pcs.

\* Assuming that the socket is on the ground and in the centre of the combination.


## CURVED TWO-SIDED SEATER COMBINATIONS



①	SRS101-TB3-00	4 pcs.
②	SRS102-TB3-00	4 pcs.
③	SRS103-TB3-00	4 pcs.
④	SRS002-TB3-000	4 pcs.
⑤	SRS002-TB3-100	2 pcs.
⑥	SRS002-TB3-001	2 pcs.
⑦	SRS209-TB3-EU	2 pcs.
⑧	SRS000	18 pcs.

## Proposed electricity solution\*:

ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.
ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.




①	SRS101-S55-00	4 pcs.
②	SRS002-S56-100	2 pcs.
③	SRS002-S56-001	2 pcs.
④	SRS002-S55-100	1 pc.
⑤	SRS002-S55-001	1 pc.
⑥	SRS002-S56-000	2 pcs.
⑦	SRS103-S56-00	2 pcs.
⑧	SRS102-S56-00	2 pcs.
⑨	SRS102-S55-00	1 pc.
⑩	SRS103-S55-00	1 pc.
⑪	SRS209-S55-EU	2 pcs.
⑫	SRS203-S55	2 pcs.
⑬	SRS000	16 pcs.

## Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ350 / ZUS053 (US)	2 pcs.
ZZZ366	1 pc.

\* Assuming that the socket is on the ground and in the centre of the combination.


## CURVED TWO-SIDED SEATER COMBINATIONS



①	SRS101- D17-00	4 pcs.
②	SRS102- D17-00	8 pcs.
③	SRS103- D17-00	8 pcs.
④	SRS002- D17-100	2 pcs.
⑤	SRS002-D17-001	2 pcs.
⑥	SRS407-D16AAA	2 pcs.
⑦	SRS301- D17	2 pcs.
⑧	SRS303- D17-EU	2 pcs.
⑨	SRS000	22 pcs.

## Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ349 / ZUS052 (US)	2 pcs.
ZZZ366	1 pc.




①	SRS101-GT1-00	4 pcs.
②	SRS002-GT9-000	12 pcs.
③	SRS102-GT1-00	4 pcs.
④	SRS103-GT1-00	4 pcs.
⑤	SRS303-GT9-EU	2 pcs.
⑥	SRS000	24 pcs.

## Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US)	1 pc.
ZZZ348 / ZUS051 (US)	2 pcs.
ZZZ366	1 pc.

\* Assuming that the socket is on the ground and in the centre of the combination.


# DIMENSIONS OF THE STRAIGHT ONE-SIDED SEATER COMBINATIONS




H = 690




H = 690




H = 690




H = 713




H = 690




H = 1263




H = 1263




H = 690



H = 690




H = 713




All dimensions are in millimetres.



## STRAIGHT ONE-SIDED SEATER COMBINATIONS




①	SRS002-S55-000	2 pcs.
②	SRS002-S55-100	1 pc.
③	SRS002-S55-001	1 pc.
④	SRS201-S56	1 pc.
⑤	SRS202-S56	1 pc.
⑥	SRS000	3 pcs.



①	SRS002-DS6-000	3 pcs.
②	SRS003-DS6-001	1 pc.
③	SRS202-DS6	1 pc.
④	SRS303-DS6-EU	1 pc.
⑤	SRS000	3 pcs.

Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US) 1 pc.




①	SRS101-GU9-00	2 pcs.
②	SRS002-GT5-000	3 pcs.
③	SRS001-GU9-000	1 pc.
④	SRS000	5 pcs.

\* Assuming that the socket is on the ground or wall and in the centre of the combination.

## STRAIGHT ONE-SIDED SEATER COMBINATIONS



①	SRS003-S56-000	2 pcs.
②	SRS002-S55-000	2 pcs.
③	SRS002-S55-100	1 pc.
④	SRS002-S55-001	1 pc.
⑤	SRS403-S55	1 pc.
⑥	SRS000	4 pcs.



①	SRS002-DS6-000	2 pcs.
②	SRS002-DS6-100	2 pcs.
③	SRS002-DS6-001	2 pcs.
④	SRS209-DS6-EU	2 pcs.
⑤	SRS000	3 pcs.

Proposed electricity solution\*:

ZZZ348 / ZUS051 (US) 2 pcs.

ZZZ366 1 pc.


ZZZ347 / ZCH002 / ZUS050 (US) 1 pc.




①	SRS401-L20	1 pc.
②	SRS002-L20-100	1 pc.
③	SRS002-L20-001	1 pc.
④	SRS406-L20	2 pcs.
⑤	SRS002-L07-100	2 pcs.
⑥	SRS002-L07-001	1 pc.
⑦	SRS002-L07-000	2 pcs.
⑧	SRS000	4 pcs.

\* Assuming that the socket is on the ground or wall and in the centre of the combination.

## STRAIGHT ONE-SIDED SEATER COMBINATIONS



①	SRS003-S56-000	1 pc.
②	SRS002-S56-000	1 pc.
③	SRS002-S55-000	2 pcs.
④	SRS002-S55-100	1 pc.
⑤	SRS407-S55AAA	1 pc.
⑥	SRS002-S55-001	1 pc.
⑦	SRS101-S56-00	1 pc.
⑧	SRS000	5 pcs.




①	SRS101-S59-00	2 pcs.
②	SRS002-S55-000	2 pcs.
③	SRS001-S59-000	1 pc.
④	SRS002-S55-100	1 pc.
⑤	SRS002-S55-001	1 pc.
⑥	SRS209-S59-EU	1 pc.
⑦	SRS000	5 pcs.

Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US) 1pc.

\* Assuming that the socket is on the ground or wall and in the centre of the combination.


## STRAIGHT ONE-SIDED SEATER COMBINATIONS



①	SRS003-S55-000	2 pcs.
②	SRS002-S55-000	2 pcs.
③	SRS002-S56-000	3 pcs.
④	SRS101-S56-00	1 pc.
⑤	SRS303-S55-EU	2 pcs.
⑥	SRS000	7 pcs.

## Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US)	1pc.
ZZZ348 / ZUS051 (US)	1pc.
ZZZ349 / ZUS052 (US)	1pc.
ZZZ366	1pc.




①	SRS101-GU2-00	2 pcs.
②	SRS002-GU2-000	1 pcs.
③	SRS001-GU2-00	1 pc.
④	SRS002-GP3-001	1 pc.
⑤	SRS002-GP3-100	1 pc.
⑥	SRS002-GP3-000	1 pc.
⑦	SRS403-GU2	1 pc.
⑧	SRS000	6 pcs.


\* Assuming that the socket is on the ground or wall and in the centre of the combination.




DIMENSIONS OF THE CURVED ONE-SIDED SEATER COMBINATIONS




H = 690




H = 690




H = 690




H = 690




H = 690




H = 690




H = 690




H = 690




H = 713



H = 690




H = 690



All dimensions are in millimetres.


## CURVED ONE-SIDED SEATER COMBINATIONS




①	SRS103-S55-00	4 pcs.
②	SRS002-S56-000	2 pcs.
③	SRS303-S56-EU	1 pc.
④	SRS000	5 pcs.

Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US) 1 pc.




①	SRS101-C15-00	2 pcs.
②	SRS103-C15-00	2 pcs.
③	SRS102-C20-00	2 pcs.
④	SRS000	5 pcs.




①	SRS002-GU8-000	2 pcs.
②	SRS103-GU8-00	2 pcs.
③	SRS002-GT4-000	1 pc.
④	SRS001-GT4-000	1 pc.
⑤	SRS101-GT4-00	1 pc.
⑥	SRS000	6 pcs.

\* Assuming that the socket is on the ground or wall and in the centre of the combination.

## CURVED ONE-SIDED SEATER COMBINATIONS




①	SRS002-TB1-000	2 pcs.
②	SRS103-TB1-00	3 pcs.
③	SRS001-TB1-000	2 pcs.
④	SRS000	6 pcs.



①	SRS002-D18-000	2 pcs.
②	SRS103-D18-00	1 pc.
③	SRS002-D18-001	1 pc.
④	SRS209-D17-EU	1 pc.
⑤	SRS002-D17-000	1 pc.
⑥	SRS103-D17-00	1 pc.
⑦	SRS001-D18-000	1 pc.
⑧	SRS002-D17-100	1 pc.
⑨	SRS000	6 pcs.

Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US) 1pc.



①	SRS101-AD9-00	2 pcs.
②	SRS103-AD9-00	2 pcs.
③	SRS002-AD6-001	1 pc.
④	SRS403-AD9	1 pc.
⑤	SRS002-AD6-100	1 pc.
⑥	SRS102-AD6-00	1 pc.
⑦	SRS102-AD9-00	1 pc.
⑧	SRS000	6 pcs.

\* Assuming that the socket is on the ground or wall and in the centre of the combination.


## CURVED ONE-SIDED SEATER COMBINATIONS



①	SRS003-TB3-000	1 pc.
②	SRS002-TB3-000	3 pcs.
③	SRS103-TB3-000	2 pcs.
④	SRS101-TB3-000	2 pcs.
⑤	SRS303-TB3-EU	1 pc.
⑥	SRS000	7 pcs.

Proposed electricity solution\*:


ZZZ347 / ZCH002 / ZUS050 (US) 1 pc.



①	SRS002-TB1-000	2 pcs.
②	SRS103-TB1-00	6 pcs.
③	SRS002-TB1-001	1 pc.
④	SRS209-TB1-EU	1 pc.
⑤	SRS002-TB1-100	1 pc.
⑥	SRS000	8 pcs.

Proposed electricity solution\*:

ZZZ347 / ZCH002 / ZUS050 (US) 1 pc.




①	SRS001-L14-000	3 pcs.
②	SRS103-L14-00	1 pc.
③	SRS103-L19-00	4 pcs.
④	SRS002-L19-000	2 pcs.
⑤	SRS000	9 pcs.


\* Assuming that the socket is on the ground or wall and in the centre of the combination.



## CURVED ONE-SIDED SEATER COMBINATIONS



①	SRS102-S56-00	12 pcs.
②	SRS000	12 pcs.



①	SRS102-S56-00	6 pcs.
②	SRS002-S56-000	4 pcs.
③	SRS002-S56-001	2 pcs.
④	SRS209-S56-EU	4 pcs.
⑤	SRS102-S56-10	4 pcs.
⑥	SRS102-S56-01	2 pcs.
⑦	SRS000	14 pcs.

## Proposed electricity solution\*:

ZZZ349 / ZUS050 (US)	4 pcs.
ZZZ350 / ZUS053 (US)	4 pcs.
ZZZ366	3 pcs.
ZZZ367	1 pc.
ZZZ347 / ZCH002 / ZUS050 (US)	1 pcs.

\* Assuming that the socket is on the ground, under lounge combination.