



**EN: Barstool with upholstered seat and back and steel tube frame**


IT: Sgabello con sedile e schienale imbottiti e telaio in tubo di acciaio  
DE: Barhocker mit Sitz und Rücken bezogen und Gestell aus Stahlrohr  
FR: Tabouret avec assise et dossier revêtus et structure en tube d'acier  
ES: Taburete con asiento y respaldo tapizados y armazón en tubo de acero

mm - in

• 3717



• 3718



### MATERIALS

Materiali  
Materialien  
Matériaux  
Materiales

• **BACKREST - SCHIENALE - RÜCKEN - DOSSIER - RESPALDO**

**EN: Inner structure in plastic material, molded and padded expanded flexible polyurethane (density 70kg/m<sup>3</sup>), fire retardant (class 1 IM), covered with fabric**

IT: Struttura interna in plastica, stampato e imbottito in poliuretano espanso flessibile (densità 70kg/m<sup>3</sup>), ignifugo (classe 1IM), rivestita in tessuto  
DE: Aufbau in Kunststoff, gedruckt und gepolstert mit flexiblem Polyurethan (Dichte 70kg/m<sup>3</sup>), feuerfest (Klasse 1IM), bezogen mit Stoff  
FR: Structure en matière plastique, moulées et rembourrées en polyuréthane expansé flexible (densité 70kg/m<sup>3</sup>), ignifuges (classe 1IM), revêtues en tissu  
ES: Estructura de plástico, moldeadas y acolchadas con espuma de poliuretano flexible (densidad 70 kg/m<sup>3</sup>), ignífugo (clase 1IM), forrado de tela

• **SEAT - SEDILE - SITZ - ASSISE - ASIENTO**

**EN: Inner plywood seat, moulded in flexible polyurethane foam (density 65 kg/m<sup>3</sup>), fire retardant (class 1 IM), covered with fabric**

IT: Pannello in multistrato, stampato in poliuretano espanso flessibile (densità 65 kg/m<sup>3</sup>), ignifugo (classe 1 IM), rivestito in tessuto  
DE: Multiplex Panel, gedruckt aus flexiblem Polyurethan (Dichte 65 kg/m<sup>3</sup>), feuerfest (Klasse 1 IM), bezogen mit Stoff  
FR: Panneau en multiplis, moulé en polyuréthane expansé flexible (densité 65kg/m<sup>3</sup>), ignifuge (classe 1IM), revêtu en tissu  
ES: Panel de contrachapado, moldeado de espuma de poliuretano flexible (densidad 65kg/m<sup>3</sup>), ignífugo (clase 1IM), forrado de tela

**FABRIC - TESSUTO - STOFF - TISSU - TEJIDO**

**CAT. C83÷C89 - C100÷C101 - C110÷C122 - C130÷C141 - C210÷C217 - E - G - H**

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• **FRAME - SUPPORTO - ABSTÜTZUNG - SUPPORT - SOPORTE**

**EN: Steel, tube Ø16 mm**

IT: Acciaio, tubo Ø16 mm

DE: Stahl, Rohr Ø16 mm

FR: Acier, tube Ø16 mm

ES: Acero, tubo Ø16 mm

**FRAME FINISH - FINITURA SUPPORTO - AUSFÜHRUNG DES ABSTÜTZUNG - FINITION SUPPORT - ACABADO SOPORTE**

**EN: Powder coating**

IT: Verniciato con polvere

DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo



BI200 \_NERO SA200 RA100 BL300

**EN: For full range of color available see finishing legend on the website**

IT: Per tutta la gamma di colori disponibili vedere legenda finiture sul sito web

**EN: Liquid coating**

IT: Verniciato a liquido

DE: Flüssig lackiert

FR: Peinture liquide

ES: Barnizado líquido



VOR

**EN: Antique brass**

IT: Ottone anticato

DE: Messing Antik

FR: Laiton vieilli

ES: Latón antiguo



OA

**EN: Brushed bronze**

IT: Bronzo satinato

DE: Bronze satiniert

FR: Bronze satiné

ES: Bronce satinado



BS

**EN: Antique copper**

IT: Rame anticato

DE: Antikes Kupfer

FR: Cuivre vieilli

ES: Cobre envejecido



RM

**EN: Titanium**

IT: Titanio

DE: Titan

FR: Titane

ES: Titanio



TN

• FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: In polypropylene, black, on request glide wiht felt /00 suitable for delicate and sensitive floors (wood, ceramics, marble)  
IT: In polipropilene, nero, a richiesta piedini con feltrino /00 adatti per pavimenti delicati e sensibili (legno, ceramica, marmo)  
DE: Polypropylen, schwarz, nach Bedarf Silzgleiter /00 für sanfte und zartfühlende Boden geeignet (Holz, Keramik, Marmor)  
FR: En polypropylène, noir, sur demande patin avec feutre /00 pour sols délicats et sensibles (bois, marbre, céramique)  
ES: De polipropileno, negro, bajo pedido tacos con feltro /00 aptos para suelos delicados y sensibles (madera, cerámica, mármol)

### REGULATIONS AND CERTIFICATES

Normative e Certificazioni  
Bestimmungen und Zertifikat  
Normatives et certifications  
Normativas y certificados

• PRODUCT CERTIFICATIONS - CERTIFICAZIONI DI PRODOTTO - PRODUKTZERTIFIZIERUNGEN - CERTIFICATIONS DE PRODUITS - CERTIFICACIONES DE PRODUCTO

EN: Ministerial type approval «Serie Jazz» Class 1 IM (Cat.H40+H53)  
IT: Omologazione Ministeriale «Serie Jazz» Classe 1 IM (Cat.H40+H53)  
DE: Ministerial Zulassung «Serie Jazz» Klasse 1 IM (Cat.H40+H53)  
FR: Homologation Ministérielle «Serie Jazz» Classe 1 IM (Cat.H40+H53)  
ES: Homologación Ministerial «Serie Jazz» Clase 1 IM (Cat.H40+H53)

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	4,95	57,30	YES	33,2	100
Polyethylene Polietilene	0,01	0,09	YES	0	100
Polypropylene Polipropilene	0,59	6,83	YES	0	100
Polyamide Poliammide	0,1	0,06	YES	0	100
Polyurethan foam Poliuretano espanso	1	11,58	NO	0	0
Pvc Pvc	0,43	4,98	YES	0	100
Ply wood Multistrato	1,32	15,28	YES	0	100
Fabric Tessuto	0,34	3,89	NO	0	0
<b>TOTAL TOTALE</b>	<b>8,6Kg</b>	<b>--</b>	<b>--</b>	<b>19%</b>	<b>84,5%</b>

EN: Percentages referred to 3718  
IT: Percentuali riferite al 3718

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001  
Environmental management system  
Sistema di gestione ambientale



ISO 9001  
Quality management system  
Sistema di gestione della qualità

